

Instrumentos y Equipos C.A

Visít us at <http://www.intech-ie.com>

INTECH Instrumentos y Equipos C.A.

Av. Río Caura, Torre Humboldt, Ofic 04-04,
Caracas, Venezuela 1080
Tel: 58-212-9784430, 9784433, 977.7654, 977.6346
Fax: 58-212-977.3613
E-mail: sales@intech-ie.com
RIF J-30615033-1

Quote # C-2024-0164
Date: 24/05/2024
Customer ID GUYSUCO

| |
|--|
| Bill to: |
| Guyana Sugar Corporation Inc. La Bonne Intention, East Coast Demerara P: +592-2202891/4 Att: Guysuco Procurement and Contract Management Department. E-mail: pcmd@guysuco.com |

| |
|---|
| Ship to: |
| CIF Georgetown Airport. Custom Agent to be advised. |

| Sales Rep. | Your # | Our # | Destiny | Terms | Validity |
|------------|---------------|----------------|---------|-----------|----------|
| S. Mendez | 5202400160/FO | C-2024-0164/PL | Guyana | See below | 90 days |

| Item | Cant | Description | Unit Price US\$ | Total US\$ |
|------|------|---|--------------------|---------------|
| 1 | 3 | <p>BIMETAL THERMOMETER PROCESS GRADE ACCORDING TO ASME B40.200 MODEL TG53.A4Z RANGE 0-300 °C NOMINAL SIZE 4", WIKA PN 52950904</p> <ul style="list-style-type: none"> Specifications according to data sheet: ATM 53.02 Accuracy Class: +/- 1% of Full Scale (ASME B40.3) Nominal size: 4" Connector position: back mount Design of Connection: standard, male thread Process Connection: 1/2" NPT Scale Range: 0 °C ... 250 °C Stem Diameter: 1/4" Insertion length L1: 4" Window: Flat Instrument Glass Ingress Protection: IP 66 / NEMA 4X Permissible ambient temperature: -40 ... +100 °C with Serial number Manufacturer logo: *WIKA®* | 265.00 | 795.00 |
| 2 | 1 | <p>BIMETAL THERMOMETER PROCESS GRADE ACCORDING TO ASME B40.200 MODEL TG53.A4Z RANGE 0-300 °C NOMINAL SIZE 6", WIKA PN 80066364</p> <ul style="list-style-type: none"> Specifications according to data sheet: ATM 53.02 Accuracy Class: +/- 1% of Full Scale (ASME B40.3) Nominal size: 6" Connector position: back mount Design of Connection: standard, male thread Process Connection: 1/2" NPT Scale Range: 0 °C ... 300 °C Stem Diameter: 1/4" Insertion length L1: 9" Window: Flat Instrument Glass | 295.00 | 295.00 |

| | | | | |
|---|---|---|--------|--------|
| | | <ul style="list-style-type: none"> Ingress Protection: IP 66 / NEMA 4X Permissible ambient temperature: -40 ... +100 °C with Serial number Manufacturer logo: *WIKA®* | | |
| 3 | 1 | <p>BIMETAL THERMOMETER PROCESS GRADE ACCORDING TO ASME B40.200 MODEL TG53.A4Z RANGE 0-100 °C NOMINAL SIZE 4", WIKA PN 80066365</p> <ul style="list-style-type: none"> Specifications according to data sheet: ATM 53.02 Accuracy Class: +/- 1% of Full Scale (ASME B40.3) Nominal size: 4" Connector position: back mount Design of Connection: standard, male thread Process Connection: 1/2" NPT Scale Range: 0 °C ... 100 °C Stem Diameter: 1/4" Insertion length L1: 9" Window: Flat Instrument Glass Ingress Protection: IP 66 / NEMA 4X Permissible ambient temperature: -40 ... +100 °C with Serial number Manufacturer logo: *WIKA®* | 265.00 | 265.00 |
| 4 | 3 | <p>BIMETAL THERMOMETER PROCESS GRADE ACCORDING TO ASME B40.200 MODEL TG53.A4Z RANGE 0-100 °C NOMINAL SIZE 6", WIKA PN 80066366</p> <ul style="list-style-type: none"> Specifications according to data sheet: ATM 53.02 Accuracy Class: +/- 1% of Full Scale (ASME B40.3) Nominal size: 6" Connector position: back mount Design of Connection: standard, male thread Process Connection: 1/2" NPT Scale Range: 0 °C ... 100 °C Stem Diameter: 1/4" Insertion length L1: 6" Window: Flat Instrument Glass Ingress Protection: IP 66 / NEMA 4X Permissible ambient temperature: -40 ... +100 °C with Serial number Manufacturer logo: *WIKA®* | 295.00 | 885.00 |
| | | <p>Delivery time 4-7 weeks after receive your order and payment</p> <p>The delivery time of the items offered is subject to changes generated by events outside the company's control, such as:</p> <ol style="list-style-type: none"> Climatic phenomena that do not allow the transport of raw material to the factory, local transport abroad of the manufactured material and/or international transport of the product. Normal functioning of Venezuelan and/or foreign customs. | | |

| | | | | |
|--|--|---|--|--|
| | | <p>3. Disruption of public order in the country of origin, country of transit and/or final country. 4. Criminal and/or terrorist acts. 5. Any other event considered major force.</p> <p>INCOTERMS CIF - Georgetown Airport</p> <p>Warranty & Country of Origin 12 months, USA</p> <p>Payment terms *40% Pre-payment with PO *60% 30 days after receiving the invoice and instruments.</p> <p>Volume & Weight Weight and Volume to be advised</p> | | |
|--|--|---|--|--|

Please Transfer to Account of:
Bank: Amerant Bank
Address: 220 Alhambra Circle, Coral Gables,
Florida 33134, USA
ABA: 067010509
Swift: MNB MUS33

Beneficiary: INTECH INSTRUMENTOS Y EQUIPOS
C.A.
Account # 8303790106

| | | |
|------------------|-------------|-----------------|
| <i>Subtotal</i> | <i>US\$</i> | <i>2,240.00</i> |
| <i>Freight</i> | <i>US\$</i> | <i>Included</i> |
| <i>Insurance</i> | <i>US\$</i> | <i>Included</i> |
| <i>Docs</i> | <i>US\$</i> | <i>Included</i> |
| TOTAL | US\$ | 2,240.00 |