

INTECH Instrumentos y Equipos C.A.

Av. Río Caura, Torre Humboldt, Ofic 04-04,
Caracas, Venezuela 1080
Tel: 58-212-9784430, 9784433, 977.7654, 977.6346
Fax: 58-212-977.3613
E-mail: sales@intech-ie.com
RIF J-30615033-1

Visit us at <http://www.intech-ie.com>

Quote # C-2024-0007Rev1
Date: 27/03/2024
Customer ID PARBOBIER

Bill to:
Surinaamse Brouwerij NV Brouwerijweg 1 Paramaribo, Suriname Tm + 597 8826803 F + 597 404622 Attn: Dino Pinas Email: Dino.pinas@parbobier.com

Ship to:
Surinaamse Brouwerij NV CIF - Paramaribo Airport, Suriname

Sales Rep.	Your #	Our #	Destiny	Terms	Validity
N. Carricatti	Email	C-2024-0007/PL	Suriname	See below	30 days

Item	Cant	Description	Unit Price US\$	Total US\$
1	1	<p>CARBO 6300 SENSOR, ANTON PAAR PN 233401</p> <p>Sensor for measuring dissolved CO2 in liquids. Measuring principle: IR absorption based on ATR (Attenuated Total Reflection) Automatic extract compensation with additional channel</p> <p>Scope of delivery 1 Pcs. Carbo 6300 Sensor 1 Pcs. Instruction Manual</p> <p>Technical Specification -Measuring range: 0 to 12 g/L (0 to 6 vol) -Accuracy: ±0.05 g/L (0.025 vol) -Repeatability: ±0.01 g/L (0.005 vol) -Process temperature: -3 to 40 °C, non-freezing -CIP/SIP temperature: max. 95 °C (max. 4h), max. 130 °C (max 30 min) -Ambient temperature: -20 to 50 °C -Process pressure: max. 10 bar rel. (145 psi rel.) -Wetted parts: Stainless steel 1.4404, sapphire, PEEK, EPDM -Degree of protection: IP 65 and IP 67 -Certifications: EHEDG Type EL Class I -Process connection: Tuchenhagen Varivent® N</p>	18,424.00	18,424.00
2	1	<p>Pico 3000 TRANSMITTER VERSION ANALOG/DIGITAL, ANTON PAAR PN 192258</p> <p>High-performance transmitter for Anton Paar process sensors. Integrated into the sensor or as remote unit. Easy configuration by a USB interface and an optional human machine interface.</p>	802.00	802.00

		<p>Scope of delivery</p> <p>1 Pcs. transmitter Pico 3000 Analog/Digital</p> <p>1 Pcs. Instruction Manual</p> <p>1 Pcs. USB cable 1.8 m</p> <p>Technical specifications</p> <p>- interfaces: 2 x AO 4-20 mA, 5 x DI, 1 x Relay, 1 x AI 4-20 mA</p>		
3	1	<p>VARINLINE ACCESS UNIT SET DN 65 POCKET-FREE INSTALLATION PN 14872</p> <p>Consisting of:</p> <p>1 Pcs. VARINLINE Access Unit DN 65</p> <p>2 Pcs. Hinged clamp Varivent N with nut</p> <p>2 Pcs. O-Ring 60x3 EPDM 70 FDA compliant</p> <p>1 Pcs. Blanking plate Type N</p>	794.00	794.00
4	1	<p>CARBO OPTICAL VARINLINE DEFLEKTOR DN65 PN 234631</p> <p>Deflector for installation into a Varivent inline fitting opposite the Carbo Optical. Cleaning the sensing prisma is done automatically by defelcting the flow towards the sensor.</p> <p>Scope of delivery</p> <p>1 pcs. VARINLINE Deflector DN65</p> <p>1 pcs. O-RING 60x3 EPDM 70 ± 5 Shore A FDA</p> <p>Technical specification</p> <p>- Connection Varivent Type N</p> <p>- Applicable for Varinline Fittings DN65</p> <p>- Material: Stainless steel 1.4404</p> <p>- Process pressure: 100 mbara to 16 bara (10 bar > 120 °C)</p> <p>- Process temperature: -20°C to 145°C</p> <p>- Pressure loss: <30 mbar (for 1,5 m/s and 1 mPa.s)</p>	752.00	752.00
5	40	<p>CABLE 2x2x0.22 D7.1 mm PER m FOR CAN BUS PN 94268</p> <p><i>Note: Must be confirmed.</i></p>	10.00	400.00
6	20	<p>CABLE 2x1.5 mm2 D7.1 mm SHIELEDDED PN 99389</p> <p><i>Note: Must be confirmed.</i></p>	6.00	120.00
7	1	<p>POWER SUPPLY 100-240 VAC 24 VDC 2.5 A PN 96693</p>	444.00	444.00
		RECOMMENDED OPTIONALS		
8	1	<p>Pico 3000 RC WALL MOUNTING REMOTE CONTROL HOUSING WITH HMI, ANTON PAAR</p>	1,438.00	1,438.00

		<p>PN 179379</p> <p>Remote housing for the high-performance transmitter Pico 3000 for Anton Paar process sensors, incl. human machine interface.</p> <p>Scope of delivery 1 Pcs. Pico 3000 RC housing for wall-mounting incl. TFT-display</p> <p>Technical specifications - electronics housing made of stainless steel - TFT-display with capacitive keys - ambient temperature: - 20 to 60 °C - degree of protection: IP 66 / 67 / NEMA 4X</p>		
9	2	<p>CONNECTOR SET CAN & 4-POLE KIT, ANTON PAAR PN 96554-94633</p> <p>Includes: CONNECTOR SET CAN 1x PLUG 5-POLE, 1x SOCKET 5-POLE CONNECTOR SET 4-POLE 1x PLUG 4-POLE, 1x SOCKET 4-POLE</p>	207.00	414.00
10	1	<p>Pico 3000 PRODUCT SELECTION, ANTON PAAR PN 198658</p> <p>Activation of the Product selection mode. Once activated up to 32 different products can be defined, each using any of the available applications. Hence several applications can be used in the same Pico 3000 or the same application can be used with different product specific parameters (name, offset, gain, etc.).</p> <p>Scope of delivery 1 Pcs. License</p>	371.00	371.00
11	1	<p>ESTIMATED TRAVEL FEE AND EXPENSES</p> <ul style="list-style-type: none"> - Air Ticket @ US\$ 1,480.00 - Lodging & Transport @ US\$ 190/day for <i>5 nights</i> - Allowances @ US\$ 100/day for <i>2 working days & 3 travel days</i> (meals, transport, etc.) - Travel time @ US\$ 10.00/h for 24 hours = 240.00 US\$ - Other expenses (luggage charges, etc.) @ US\$ 300.00 <p>See Note #1</p>	3,470.00	3,470.00
		<p>Delivery time Weeks after receive your order and payment, Items: 4-7 weeks approx.</p> <p>INCOTERMS CIF - Paramaribo Airport</p> <p>Payment terms *100% Pre-payment with PO</p>		

		<p>Volume & Weight Volume & Weight to be advised</p> <p>Travel Expenses Travel expenses for start-up are INCLUDED in this quotation.</p> <p>Notes Note #1:</p> <ul style="list-style-type: none"> - The item is an estimated of travel expenses - In case the CUSTOMER would like to take care of Lodging (hotel must be 3 stars+ with Wi-Fi and breakfast included) and Transportation we will only charge the Air Ticket Value and Daily Allowances. - Any additional travel expenses will be reimbursed by CUSTOMER - The working days are of 8 hours - The maximum labor hour per day are of 12 hours - Extra hours on working days will be billed @ US\$ 281.25/hour - Hours on weekends & holidays will be billed @ US\$ 350.00/hour - Stand by days will be billed @ US\$ 900.00 ea - The travel time costs are included on the service - If additional service days are required, it will be billed to the CUSTOMER at mentioned fixed rates of labor hours and travel expenses 		
--	--	--	--	--

Please Transfer to Account of:
Bank: Amerant Bank
Address: 220 Alhambra Circle, Coral Gables,
Florida 33134, USA
ABA: 067010509
Swift: MNB MUS33

Beneficiary: INTECH INSTRUMENTOS Y EQUIPOS
C.A.
Account # 8303790106

Subtotal	US\$	27,429.00
Freight	US\$	Included
Insurance	US\$	--
Docs	US\$	--
TOTAL	US\$	27,429.00