



### Instrumentos y Equipos C.A

#### INTECH Instrumentos y Equipos C.A.

Av. Río Caura, Torre Humboldt, Ofic 04-04,  
 Caracas, Venezuela 1080  
 Tel: 58-212-9784430, 9784433, 977.7654, 977.6346  
 Fax: 58-212-977.3613  
 E-mail:sales@intech-ie.com  
 RIF J-30615033-1

**Quote #** C-2026-0110  
**Date:** 31/03/2026  
**Customer ID** CHEVRON PETROPIAR

<b>Bill to:</b>
<b>CHEVRON GLOBAL TECHNOLOGY SERVICES COMPANY</b>
Av. Ppal La Estancia, Centro Banaven, Torre D, Piso 7, Chuao, Caracas 1060, Venezuela Att: Rafael Azuaje - Depto de Procura Rafael.Azuaje@chevron.com


<b>Ship to:</b>
<b>CHEVRON PETROPIAR Warehouse - COB</b> Venezuela

Sales Rep.	Your #	Our #	Destiny	Terms	Validity
N. Carricatti	VEN-RFQ-PP-2026-104-XIII	C-2026-0110/PL	Venezuela	DDP Petropiar	30 days

Item	Cant	Description	Unit Price US\$	Total US\$
1	4	<p><b>Pro-Flo 2" (51mm) Clamped Metal Air Operated Double Diaphragm AODD Pump (P8), Wilden PN 080111</b></p> <p>MODEL: P8/AAAPP/BNS/BN/BN. 623 lpm (165 gpm) Max Flow, 51 mm (2") NPT Suction &amp; Discharge. Aluminum Wetted Parts, Outer Piston &amp; Air Chamber, Polypropylene Center Block &amp; Air Valve, Buna-N Seats, Traditional Diaphragms &amp; Balls. 04-9985-20 ADS Repair Kit, 08-9804-52 Wet End Kit, 71-7547 SD Dampener, 01-8340-99 FRL/FRC, 65-8115-99 Wil-Gard Available to order. A PSG Dover Brand Product.</p> <p>Air Chamber Aluminum            Air Distribution System Pro-Flo            Air Inlet 1/2" FNPT            Center Block Polypropylene            Connection Type NPT            Construction Clamped            Diaphragm Buna-N            Diaphragm Type Traditional            Discharge NPT (Inches) 51 mm (2")            Discharge Volume Per Cycle 2.6 L (0.70 gal)            Material Metal            Maximum Flow (GPM) 623 lpm (165 gpm)            Maximum Working Pressure (PSIG) 8.6 bar (125 psi)            Max Suction Lift 6.9 m (22.7') Dry, 8.6 m (28.4') Wet            Model Number P8/AAAPP/BNS/BN/BN            Model Series P8            Outer Piston Aluminum            Product Notes 04-9985-20 ADS Repair Kit, 08-9804-52 Wet End Kit, 71-7547 SD Dampener, 01-8340-99 FRL/FRC, 65-8115-99 Wil-Gard Available to order.            Size 2"            Solids (Inches) 6.4 mm (1/4")            Suction NPT (Inches) 51 mm (2")            Valve Balls Buna-N            Valve / Seat / O-Ring Polypropylene Air Valve / Buna-N Seat            Valve Type Ball Valve</p>	\$6.530,00	\$26.120,00

		Wetted Parts Aluminum		
2	4	<p><b>Turbo-Flo 1-1/2" Clamped Metal Air Operated Double Diaphragm Utility Pump (T4), Wilden PN 0410055</b></p> <p>MODEL: T4/AAPPB/BNS/BN/BN. 288 lpm (76 gpm) Max Flow, 38 mm (1-1/2") NPT Suction &amp; Discharge. Aluminum Wetted Parts &amp; Outer Piston, Polypropylene Air Chamber &amp; Center Block, Brass Air Valve, Buna-N Seats, Traditional Diaphragms &amp; Balls. 04-9980-07 ADS Repair Kit, 04-9804-52 Wet End Kit Available to order. A PSG Dover Brand Product.</p> <p>Air Chamber Polypropylene Air Distribution System Turbo-Flo Air Inlet 1/2" FNPT Center Block Polypropylene Connection Type NPT Construction Clamped Diaphragm Buna-N Diaphragm Type Traditional Discharge NPT (Inches) 38 mm (1-1/2") Discharge Volume Per Cycle 1.02 L (0.27 gal) Material Metal Maximum Flow (GPM) 288 lpm (76 gpm) Maximum Working Pressure (PSIG) 8.6 bar (125 psi) Max Suction Lift 5.49 m (18') Dry, 8.53 m (28') Wet Model Number T4/AAPPB/BNS/BN/BN Model Series T4 Outer Piston Aluminum Product Notes 04-9980-07 ADS Repair Kit, 04-9804-52 Wet End Kit Available to order. Size 1-1/2" Solids (Inches) 4.8 mm (3/16") Suction NPT (Inches) 38 mm (1-1/2") Valve Balls Buna-N Valve / Seat / O-Ring Brass Air Valve / Buna-N Seat Valve Type Ball Valve Wetted Parts Aluminum</p>	\$4.620,00	\$18.480,00
		<p><b>Delivery Time</b> <b>Item 1, 2: 4 – 6 Weeks ARAD</b></p> <p><b>Partial Shipments allowed</b></p> <p><b>Payment Terms</b> • <b>100% Net 30 days delivery time</b></p> <p><b>Packing</b> Material will be Securely packed in wooden crates suitable for air freight and export.</p> <p><b>Volume &amp; Weight (to be reconfirmed)</b> <b>To be advised – Aprox 544 Lbs</b></p> <p><b>General Warranty:</b> Brand warrants its products to be free from defects in material and/or workmanship for a period of eighteen (18) months following shipment or twelve (12) months following start up, whichever occurs first, provided that written claim be made during the period of the warranty. Manufacturer's obligation under this warranty is limited solely to repairing or replacing necessary parts and in no event shall Manufacturer's be liable for damages in excess of the amount paid by the purchaser.</p> <p><b>Project Cancellation charges:</b> 15%</p>		

		<p>Up to submittal of Engineering &amp; Design Drawings and Documents</p> <p>25% After submittal of Engineering &amp; Design Drawings and Documents</p> <p>50% After material order placement and before production commences</p> <p>75% Within two weeks of production release</p> <p>100% Two weeks after production commences</p>		
		<b>NOTAS:</b>		
		<p><b>CONDICIONES DE PAGO</b></p> <p><b><u>COMPONENTE IMPORTADO</u></b></p> <p><i>En DOLARES AMERICANOS (US\$) o en EUROS equivalentes mediante transferencia bancaria a la siguiente cuenta</i></p> <p>AMERANT BANK (in US\$) 220 ALHAMBRA CIRCLE, CORAL GABLES, FL. 33134 CUENTA NUMERO <b>8303790106</b> BENEFICIARIO <b>INTECH INSTRUMENTOS Y EQUIPOS C.A.</b> ABA 067010509 SWIFT MNB MUS33</p> <p><b><u>COMPONENTE NACIONAL (IVA)</u></b></p> <p><i>En BOLIVARES (Bs.) mediante transferencia bancaria</i></p> <p>Banco Mercantil Cuenta Corriente a nombre de INTECH Instrumentos y Equipos C.A. – <b>0105-0011-73-1011-50499-5</b></p>		
		<p><b>OTRAS CONDICIONES</b></p> <p>1. Todos los Equipos suministrados por INTECH Instrumentos y Equipos son Nuevos y cuentan con Certificados de Conformidad del Fabricante en caso de ser requeridos</p> <p>2. El valor del IVA podrá ser pagado y/o retenido en moneda local (Bs.) a la tasa referencial del día en caso de que el mismo no pueda ser pagado en US\$. El valor utilizado para el cálculo del mismo es tomado de acuerdo a lo informado por el Banco Central de Venezuela en su portal web <a href="http://www.bcv.org.ve">www.bcv.org.ve</a> y deberá ser cancelado a la tasa oficial del día de pago o de la retención correspondiente</p> <p>3. Todos los materiales mantienen las condiciones de garantía Standard de los fabricantes.</p> <p>4. INTECH como representante y/o distribuidor exclusivo de múltiples marcas en el área de Instrumentación Industrial, calentamiento Eléctrico y Equipos de Laboratorio, solo suministrara garantía y servicio a los equipos y materiales adquiridos a través de los canales de venta autorizados de INTECH tanto localmente como internacionalmente</p> <p>5. Aporte SOCIAL: Esta Incluido en los precios y forma parte de la Oferta</p> <p>6. Las empresas Mixtas no están sujetas a Impuesto a las Grandes Transacciones Financieras (IGTF), Por lo tanto, las facturas donde CHEVRON compra bienes o contrata servicios por cuenta de estas, no están sujetas a la percepción del IGTF. Todo ello con base en el Artículo 9, Numeral 3 de la Ley del IGTF (Gaceta Oficial Nro 6.687 Extraordinario de fecha 25/02/22.</p>		

		<p><b>In Tech</b> Instrumentos y Equipos, C.A. RIF: J-30615033-1 NIT: 0096996004</p> 		
		<i>Cci: W. Brito – INTECH PLC</i>		

Please Transfer to Account of:  
Bank: Amerant Bank  
Address: 220 Alhambra Circle, Coral Gables,  
Florida 33134, USA  
ABA: 067010509  
Swift: MNB MUS33

Beneficiary: INTECH INSTRUMENTOS Y EQUIPOS  
C.A.  
Account # 8303790106

<b>Subtotal</b>	<b>US\$</b>	<b>44,600.00</b>
<b>Freight</b>	<b>US\$</b>	<b>Incluido</b>
<b>Insurance</b>	<b>US\$</b>	<b>--</b>
<b>IVA 16%</b>	<b>US\$</b>	<b>7,136.00</b>
<b>IGTF 3%</b>	<b>US\$</b>	<b>---</b>
<b>TOTAL</b>	<b>US\$</b>	<b>51,736.00</b>