



Instrumentos y Equipos C.A

INTECH Instrumentos y Equipos C.A.

Av. Río Caura, Torre Humboldt, Ofic 04-04,

Caracas, Venezuela 1080

Tel: 58-212-9784430, 9784433, 977.7654, 977.6346

Fax: 58-212-977.3613

E-mail: sales@intech-ie.com

RIF J-30615033-1

Quote #

C-2026-0114

Date:

01/04/2026

Customer ID

CHEVRON PETROPIAR

Bill to:

CHEVRON GLOBAL TECHNOLOGY SERVICES COMPANY

Av. Ppal La Estancia, Centro Banaven, Torre D, Piso 7, Chuao, Caracas 1060, Venezuela
Att: Rafael Azuaje - Depto de Procura
Rafael.Azuaje@chevron.com


Ship to:

CHEVRON PETROPIAR Warehouse - COB
Venezuela

Sales Rep.	Your #	Our #	Destiny	Terms	Validity
N. Carricatti	VEN-RFQ-PP-2026-104-IX	C-2026-0114/PL	Venezuela	DDP Petropiar	30 days

Item	Cant	Description	Unit Price US\$	Total US\$
1	8	<p>ATEX, CSA, IECEX, CE Gas Detector Dual SO2 & H2S, Meridian Series, Stainless Steel Enclosure and end cap, 30 VDC 3-4 wires, 4...20 mA with HART, Including weather shield, mounting adapter plate and calibration adapter, Teledyne PN 096-3493-06 / 096-3473-02 / 096-3473-05 / 073-0373 / 073-0374 / 096-3438</p> <p>Certifications Global Approvals IECEx, cCSAus, ATEX, INMETRO INDUSTRY CANADA, CE, SIL-2 (Third Party Certification by TUV-Rheinland) Area Classification Class I Div. 1 Group ABCD, Class II Div. 1 Group EFG, Class III Equipment Group I/II, Zone 0/20 & Zone 1/21, IIC</p> <p>Environmental Operating Temperature -40° to 75° Celsius Humidity 5–95% RH (non condensing) Storage Temperature -55° to 75° Celsius</p> <p>Specifications Power 2 wire, 3 wire, 4 wire Operating Voltage 3/4 wire 10-30 VDC (24 VDC nominal) Operating Voltage 2 wire 18-30 VDC (24 VDC nominal) Power Consumption 2.2 - 3.2 Watts based on sensor configuration Add 2.6 Watts to any configuration if heated display is used Enclosure Material Copper-free aluminum, 316 stainless steel Enclosure Ingress Protection NEMA 4X, IP66 Terminal Junction Box Material Copper-free aluminum, 316 stainless steel Terminal Junction Box Conduit Connection 3/4" NPT (M20 adapter available) Communication 4–20 mA, MODBUS; Optional HART Maximum 4–20 loop load, OHMS (@24 VDC) 680 Ohms current source 680 Ohms current sink Alarms 3 programmable alarms with set and reset (adjustable deadband); 1 fail safe system fault Relays 4 Form C relays, rated 5 Amp at 30 VDC/240 VAC, resistive loads Display</p>	\$10.670,00	\$85.360,00

	<p>Graphical LCD display visible in bright sunlight. Display indicates Sensor Name, Gas Name, Full Scale of Range, Gas Concentration, Fault, Alarm Status, Trend Graph with selectable time scale showing current reading, set points and full scale. Display provides simple, intuitive calibration instructions and guides user through the calibration process. Languages English, Portuguese, French, Spanish, Chinese, Russian User Configuration Control Transmitter GUI, HART hand-held Communicator, MODBUS User Interface Access Control Transmitter provides controlled access to sensor range, alarm settings and other safety functions; password protection for secure configuration control Memory Non-volatile memory ensures configuration parameters are retained in the event of power los</p> <p>Sensor specifications (H2S, SO2, O2, CH4, CO, etc.) Sensor Types Combustible: Catalytic bead Electrochemical: Standard and Rock Solid sensors Number of Sensors Supports up to 3 sensors per detector</p> <p>Installation Weight Aluminum enclosure: 6.5 lbs (3 kg); Stainless steel enclosure: 11 lbs (5 kg) Wiring Detector accepts industry standard 2-wire, 3-wire or 4-wire inputs</p>												
	<p>Delivery Time Item 1: 8 – 10 Weeks ARAD</p> <p>Partial Shipments allowed</p> <p>Payment Terms</p> <ul style="list-style-type: none"> • 100% Net 30 days delivery time <p>Packing Material will be Securely packed in wooden crates suitable for air freight and export.</p> <p>Volume & Weight (to be reconfirmed) To be advised – Aprox 160 Lbs</p> <p>General Warranty: Brand warrants its products to be free from defects in material and/or workmanship for a period of eighteen (18) months following shipment or twelve (12) months following start up, whichever occurs first, provided that written claim be made during the period of the warranty. Manufacturer's obligation under this warranty is limited solely to repairing or replacing necessary parts and in no event shall Manufacturer's be liable for damages in excess of the amount paid by the purchaser.</p> <p>Project Cancellation charges:</p> <table border="0"> <tr> <td>15%</td> <td>Up to submittal of Engineering & Design Drawings and Documents</td> </tr> <tr> <td>25%</td> <td>After submittal of Engineering & Design Drawings and Documents</td> </tr> <tr> <td>50%</td> <td>After material order placement and before production commences</td> </tr> <tr> <td>75%</td> <td>Within two weeks of production release</td> </tr> <tr> <td>100%</td> <td>Two weeks after production commences</td> </tr> </table>	15%	Up to submittal of Engineering & Design Drawings and Documents	25%	After submittal of Engineering & Design Drawings and Documents	50%	After material order placement and before production commences	75%	Within two weeks of production release	100%	Two weeks after production commences		
15%	Up to submittal of Engineering & Design Drawings and Documents												
25%	After submittal of Engineering & Design Drawings and Documents												
50%	After material order placement and before production commences												
75%	Within two weeks of production release												
100%	Two weeks after production commences												
	<p>NOTAS:</p>												

	<p>CONDICIONES DE PAGO</p> <p><u>COMPONENTE IMPORTADO</u></p> <p><i>En DOLARES AMERICANOS (US\$) o en EUROS equivalentes mediante transferencia bancaria a la siguiente cuenta</i></p> <p>AMERANT BANK (in US\$) 220 ALHAMBRA CIRCLE, CORAL GABLES, FL. 33134 CUENTA NUMERO 8303790106 BENEFICIARIO INTECH INSTRUMENTOS Y EQUIPOS C.A. ABA 067010509 SWIFT MNBMUS33</p> <p><u>COMPONENTE NACIONAL (IVA)</u></p> <p><i>En BOLIVARES (Bs.) mediante transferencia bancaria</i></p> <p>Banco Mercantil Cuenta Corriente a nombre de INTECH Instrumentos y Equipos C.A. – 0105-0011-73-1011-50499-5</p>		
	<p>OTRAS CONDICIONES</p> <ol style="list-style-type: none"> 1. Todos los Equipos suministrados por INTECH Instrumentos y Equipos son Nuevos y cuentan con Certificados de Conformidad del Fabricante en caso de ser requeridos 2. El valor del IVA podrá ser pagado y/o retenido en moneda local (Bs.) a la tasa referencial del día en caso de que el mismo no pueda ser pagado en US\$. El valor utilizado para el cálculo del mismo es tomado de acuerdo a lo informado por el Banco Central de Venezuela en su portal web www.bcv.org.ve y debera ser cancelado a la tasa oficial del día de pago o de la retención correspondiente 3. Todos los materiales mantienen las condiciones de garantía Standard de los fabricantes. 4. INTECH como representante y/o distribuidor exclusivo de múltiples marcas en el área de Instrumentación Industrial, calentamiento Eléctrico y Equipos de Laboratorio, solo suministrara garantía y servicio a los equipos y materiales adquiridos a través de los canales de venta autorizados de INTECH tanto localmente como internacionalmente 5. Aporte SOCIAL: Esta Incluido en los precios y forma parte de la Oferta 6. Las empresas Mixtas no están sujetas a Impuesto a las Grandes Transacciones Financieras (IGTF), Por lo tanto, las facturas donde CHEVRON compra bienes o contrata servicios por cuenta de estas, no están sujetas a la percepción del IGTF. Todo ello con base en el Artículo 9, Numeral 3 de la Ley del IGTF (Gaceta Oficial Nro 6.687 Extraordinario de fecha 25/02/22. <div style="display: flex; justify-content: space-between; align-items: flex-end; margin-top: 20px;"> <div data-bbox="277 1535 542 1642" style="text-align: left;"> <p>In Tech Instrumentos y Equipos, C.A. RIF: J-30615033-1 NIT: 0096996004</p> </div> <div data-bbox="574 1520 846 1682" style="text-align: center;">  </div> <div data-bbox="850 1656 1114 1684" style="text-align: right;"> <p>Cci: W. Brito – INTECH PLC</p> </div> </div>		

Please Transfer to Account of:
Bank: Amerant Bank
Address: 220 Alhambra Circle, Coral Gables,
Florida 33134, USA
ABA: 067010509
Swift: MNBMUS33

Beneficiary: INTECH INSTRUMENTOS Y EQUIPOS
C.A.
Account # 8303790106

Subtotal	US\$	85,360.00
Freight	US\$	Incluido
Insurance	US\$	--
IVA 16%	US\$	13,657.60
IGTF 3%	US\$	---
TOTAL	US\$	99,017.60