



Proposal

Visit us at <http://www.intech-ie.com>

Instrumentos y Equipos C.A

INTECH Instrumentos y Equipos C.A.

Av. Río Caura, Torre Humboldt, Ofic 04-04,

Caracas, Venezuela 1080

Tel: 58-212-9784430, 9784433, 977.7654, 977.6346

Fax: 58-212-977.3613

E-mail: sales@intech-ie.com

RIF J-30615033-1

Quote #

C-2026-0124Rev1

Date:

13/04/2026

Customer ID

DDL - Softdrinks Plant

Bill to:

Demerara Distillers Ltd

Plantation Diamond
East Bank Demerara
Georgetown, Guyana
Phone: (592) 2656000 Ext.3410
Attn: Rohan Mangra
E-mail: rmangra@demrum.com

Ship to:

Demerara Distillers Ltd

CIF - Georgetown Airport, Guyana

Sales Rep.	Your #	Our #	Destiny	Terms	Validity
<i>N. Carricatti</i>	<i>Email</i>	<i>C-2026-0124/PL</i>	<i>Guyana</i>	<i>See below</i>	<i>30 days</i>

Item	Cant	Description	Unit Price US\$	Total US\$
1	1	<p>COBRIX 5501 INLINE BEV. SYSTEM WITH EDGE 7000 (AND HOUSING), ANTON PAAR PN 324450</p> <p>High precision beverage measuring system for determination of °Brix, %Diet, CO2, Alcohol, Sugar inversion, Extract and other parameters in soft drinks and FABs. Inline installation using 3 ports of two VARINLINE® housings.</p> <p>Scope of delivery</p> <p>1 Pcs. Carbo 5100 Sensor with Connector 1 Pcs. L-Com 5500 incl. Sample pump & Pressure sensor with Connector 1 Pcs. Sensor wiring 1 Pcs. Edge 7000 with housing 1 Pcs. Floor stand for Edge 7000 with housing 1 Pcs. Flow monitor incl. process adapter & butweld ends 1 Pcs. VARINLINE sight glass process connection N 1 Pcs. Level detection sensor</p> <p>Technical specifications</p> <ul style="list-style-type: none"> - Accuracy Sugar: <0.02 °Brix - Accuracy Diet: <1 % - Range Sugar: 0 °Brix to 50 °Brix - Range Sugar inversion: 0 °Brix to 35 °Brix - Range Diet: 0 % to 150 % of target - Accuracy CO2: 0.05 g/L (0.025 Vol.) - CO2 Range: 0 g/L to 12 g/L (0 to 6 Vol.) - Accuracy Alcohol: 0.02 % v/v 	\$48.144,00	\$48.144,00

		<ul style="list-style-type: none"> - Range Alcohol: 0 % w/w to 16 % w/w (0 % v/v to 20 % v/v at 20 °C) - Process temperature: 0 °C to 30 °C (120 °C for max. 30 min CIP/SIP) - Process pressure: up to 10 bar (145 psi) - Ambient temperature: -5 °C to 45 °C - Wetted parts: Stainless steel 1.4404, EPDM SSiC, tungsten carbide - Protection rating: IP65 and IP67 (Sensors); IP65 (Evaluation unit) - Process connection: Tuchenhagen VARIVENT® Type N, DN 65 		
2	1	<p>CABLE SET Cobrix 5X00 20 m PN 184676</p> <p>Power supply cable 24 V and CANopen cable, L=20 m</p> <p>Scope of delivery 1 Pcs. Cable M12 T 4BU/free conductor end 20 m 1 Pcs. Cable M12 5BU/free conductor end 20 m</p> <p>Technical specifications 24V cable: Power cable, 4-position, shielded, first end straight M12 socket with quick locking system, second end free conductor end Length: 20 m Color: Black 4 Pcs. Wires Conductor cross section: 4x1.5 mm² Rated current: 12 A Rated voltage: 60 V Cable outer diameter D: 9.7 mm ±0.3 mm Degree of protection: IP65/IP67</p> <p>CANopen cable: 5 positions, shielded, suitable for drag chain use, first end straight M12 socket with quick locking system, second end free conductor end Length: 20 m Color: Violet 5 Pcs. Wires Cross section Signal line: 0.2 mm² Cross section Power supply: 0.34 mm² Cross section drain wire: 0.34 mm² Rated current: 4 A Rated voltage: 60 V Ambient temperature (connector): -25 °C ... 90 °C Ambient temperature (cable): -40 °C ... 80 °C (fixed installation) Cable outer diameter D: 6.7 mm ±0.3 mm Core identification: red-black, blue-white Degree of protection: IP65/IP67</p>	\$622,00	\$622,00
		RECOMMENDED OPTIONAL		
3	1	<p>INSTALLATION, START-UP & USERS TRAINING</p> <p>Estimated service expenses</p> <ul style="list-style-type: none"> - Air Ticket @ US\$ 1.480.00 = 1,480.00 US\$ \$ - Lodging @ US\$ 180/day for <i>6 nights</i> 	\$3.700,00	\$3.700,00

	<ul style="list-style-type: none"> - Allowances @ US\$ 100/day for <u>2 working days, 2 stand-by days & 2 travel days</u> (meals, transport, etc) - Travel time @ US\$ 10.00/h for 24 hours = 240.00 US\$ - Other expenses (Visa, charges, taxes, etc.) @ US\$ 300.00 <p>See Note #1</p>		
	<p>Delivery time Weeks after receive your order and payment, Items: 8-10 weeks approx.</p> <p>The delivery time of the items offered is subject to changes generated by events outside the company's control, such as:</p> <ol style="list-style-type: none"> 1. Climatic phenomena that do not allow the transport of raw material to the factory, local transport abroad of the manufactured material and/or international transport of the product. 2. Normal functioning of Venezuelan and/or foreign customs. 3. Disruption of public order in the country of origin, country of transit and/or final country. 4. Criminal and/or terrorist acts. 5. Any other event considered force majeure. <p>INCOTERMS CIF - Georgetown Airport</p> <p>Payment terms *100% Pre-payment with PO</p> <p>Volume & Weight Volume & Weight to be advised</p> <p>Travel Expenses Travel expenses for installation ARE INCLUDED in this quotation</p> <p>Notes Note #1:</p> <ul style="list-style-type: none"> - The item is an estimated of travel expenses - In case the CUSTOMER would like to take care of Lodging (hotel must be 3 stars+ with Wi-Fi and breakfast included) and Transportation we will only charge the Air Ticket Value and Daily Allowances. - Any additional travel expenses will be reimbursed by CUSTOMER - The working days are of 8 hours - The maximum labor hour per day are of 12 hours - Extra hours on working days will be billed @ US\$ 281.25/hour - Hours on weekends & holidays will be billed @ US\$ 350.00/hour - Stand by days will be billed @ US\$ 900.00 ea - The travel time costs are included on the service - If additional service days are required, it will be billed to the CUSTOMER at mentioned fixed rates of labor hours and travel expenses 		

Please Transfer to Account of:
Bank: Amerant Bank
Address: 220 Alhambra Circle, Coral Gables,
Florida 33134, USA
ABA: 067010509
Swift: MNB MUS33

Beneficiary: INTECH INSTRUMENTOS Y EQUIPOS
C.A.
Account # 8303790106

Subtotal	US\$	52,466.00
Freight	US\$	Included
Insurance	US\$	--
Docs	US\$	--
TOTAL	US\$	52,466.00