



Instrumentos y Equipos C.A

INTECH Instrumentos y Equipos C.A.

Av. Río Caura, Torre Humboldt, Ofic 04-04,
 Caracas, Venezuela 1080
 Tel: 58-212-9784430, 9784433, 977.7654, 977.6346
 Fax: 58-212-977.3613
 E-mail: sales@intech-ie.com
RIF J-30615033-1

Quote # C-2026-0153
Date: 12/05/2026
Customer ID CHEVRON PETROBOSCAN

Bill to:
CHEVRON GLOBAL TECHNOLOGY SERVICES COMPANY Av. Ppal La Estancia, Centro Banaven, Torre D, Piso 7, Chuao, Caracas 1060, Venezuela Att: Rafael Azuaje - Depto de Procura Rafael.Azuaje@chevron.com

Ship to:
CHEVRON PETROBOSCAN Warehouse Edo Anzoategui, Venezuela


Sales Rep.	Your #	Our #	Destiny	Terms	Validity
N. Carricatti	VEN-RFQ-PB-2026-207-III	C-2026-0153/PL @KAM 12/05/2026	Venezuela	DDP Jose complex	30 days

Item	Cant	Description	Unit Price US\$	Total US\$
1	7	OIL WATER DETECTOR RANGE 0-100 % WITH INSERTABLE/RETRACTABLE INCLUDING LCD DISPLAY AND INSERTION TOOL, KAM Controls 3 Units: Oil Water Detector SKU: OWD_0-100%_INSXX_2"150RF TYPE/MODEL: Insertable / Retractable CONNECTION: 2" ANSI 150 RF RANGE: 0-100% ACCURACY: +/- 1% of range (100%) SHAFT LENGTH: TBD. Standard Lengths are 24", 30", 36" and 48". MATERIAL (WETTED PARTS): SS316L MATERIAL (ENCLOSURE): Copper-free Aluminum CERTIFICATIONS: ATEX (II 2 G Ex db IIB T6 Gb) and IECEx (Ex db IIB T6 Gb). Wetted Parts NACE MR0175/ISO 15156 ELEC. CONDUIT PORT: (2) 3/4" NPT DRAWING: 152-XXX-XX2-001 LCD Display SPECIFICATIONS: .4-20 mA Input, 3.5 Digit, 1" High LCD, NEMA 4X and Explosion Proof Enclosure DRAWING: 213-003-000 4 Units: Oil Water Detector SKU: OWD_0-100%_INSXX_2"300RF TYPE/MODEL: Insertable / Retractable CONNECTION: 2" ANSI 300 RF RANGE: 0-100% ACCURACY: +/- 1% of range (100%) SHAFT LENGTH: TBD. Standard Lengths are 24", 30", 36" and	\$91.730,00	\$642.110,00

		<p>48". MATERIAL (WETTED PARTS): SS316L MATERIAL (ENCLOSURE): Copper-free Aluminum CERTIFICATIONS: ATEX (II 2 G Ex db IIB T6 Gb) and IECEx (Ex db IIB T6 Gb). Wetted Parts NACE MR0175/ISO 15156 ELEC. CONDUIT PORT: (2) 3/4" NPT DRAWING: 152-XXX-XX2-001 LCD Display SPECIFICATIONS: .4-20 mA Input, 3.5 Digit, 1" High LCD, NEMA 4X and Explosion Proof Enclosure DRAWING: 213-003-000</p> <p>Includes: KAM IT Insertion Tool FUNCTION: For all installations over 110 PSI DRAWING: 233-001-000 Note: one unit for the 7 analyzers * The offer includes local technical staff for installation and commissioning.</p>		
2	4	<p>LOW RANGE (0-10% / 0-5%) WATERCUT METER WITH INSERTABLE/RETRACTABLE INCLUDING LCD DISPLAY AND INSERTION TOOL, KAM Controls</p> <p>2 Units: SKU: LRW_0-5%_INS_2"300RF MODEL: Insertable/Retractable CONNECTION: 2" ANSI 300 RF RANGE: 0-5% ACCURACY: +/- 0.05% from 3-5% Water SHAFT LENGTH: TBD. Standard Shaft lengths are 24" and 30". MATERIAL (WETTED PARTS): SS316 MATERIAL (ENCLOSURE): Copper-free Aluminum CERTIFICATIONS: ATEX (II 2 G Ex db IIB T6 Gb) and IECEx (Ex db IIB T6 Gb). NACE MR0175/ISO 15156 INPUTS REQUIRED: Density ELEC. CONDUIT PORT: (2) 3/4" NPT DRAWING: 152-XXX-XX0-000 LCD Display SPECIFICATIONS: .4-20 mA Input, 3.5 Digit, 1" High LCD, NEMA 4X and Explosion Proof Enclosure DRAWING: 213-003-000</p> <p>2 Units: SKU: LRW_0-10%_INS_2"150RF MODEL: Insertable/Retractable CONNECTION: 2" ANSI 150 RF RANGE: 0-10% ACCURACY: +/- 0.1% from 5-10% Water SHAFT LENGTH: TBD. Standard Shaft lengths are 24" and 30". MATERIAL (WETTED PARTS): SS316 MATERIAL (ENCLOSURE): Copper-free Aluminum CERTIFICATIONS: ATEX (II 2 G Ex db IIB T6 Gb) and IECEx (Ex db IIB T6 Gb). NACE MR0175/ISO 15156 INPUTS REQUIRED: Density ELEC. CONDUIT PORT: (2) 3/4" NPT DRAWING: 152-XXX-XX0-000 LCD Display</p>	\$61.630,00	\$246.520,00

		<p>SPECIFICATIONS: .4-20 mA Input, 3.5 Digit, 1" High LCD, NEMA 4X and Explosion Proof Enclosure DRAWING: 213-003-000</p> <p>Includes: KAM IT Insertion Tool FUNCTION: For all installations over 110 PSI DRAWING: 233-001-000 Note: one unit for the 4 analyzers * The offer includes local technical staff for installation and commissioning.</p>		
3	2	<p>MULTIPARAMETER MEASUREMENT SYSTEM (PH, CONDUCTIVITY OR TDS, DO), KNICK</p> <p>Complete measuring system for pH, conductivity and DO Digital basic unit, multiparameter, 2-channel, HART communication E401N.030 Digital basic unit, multiparameter A402N HART communication SW-A001</p> <p>2 sensors (pH + COND) connected to the Stratos Multi. The Multi can calculate the TDS from conductivity. The DO sensor will be connected to the Stratos EVO.</p> <p>PH: SE571 Memosens 120 mm SE571X/1-NMSN-B1 5 m CA/MS-005NAA</p> <p>COND: G 1" SE670/G1 Cable with M12 plug (e.g. for SE670, SE680) 5 m CA/M12-005NA</p> <p>DO: SE740 optical oxygen sensor, digital 120 mm SE740/1 5 m CA/M12-005N485</p> <p>Note: valves, bypasses, piping, etc., not included.</p>	\$17.740,00	\$35.480,00
		<p>Delivery Time ARAD/AROC, Items: 10 – 14 weeks</p> <p>Payment Terms 50% Prepayment with Order 50% Payment 30 days DUE NET</p> <p>Packing Material will be Securely packed in wooden crates suitable for air freight and export. Volume & Weight (to be reconfirmed) To be advised – Aprox 600 Lbs</p> <p>General Warranty: Our brands warrants its products to be free from defects in material and/or workmanship for a period of 18 months after delivery or 12 months from installation, whichever occurs first, provided that written claim be made during the period of the warranty. Manufacturer's obligation under this warranty is limited solely to repairing or replacing necessary parts and in no event shall manufacturer's be liable for damages in excess of the amount paid by the purchaser.</p> <p>Project Cancellation charges:</p>		

	<p>15% Up to submittal of Engineering & Design Drawings and Documents (when applicable)</p> <p>25% After submittal of Engineering & Design Drawings and Documents (when applicable)</p> <p>50% After material order placement and before production commences</p> <p>75% Within two weeks of production release</p> <p>100% Two weeks after production commences</p>		
	NOTAS:		
	<p>CONDICIONES DE PAGO</p> <p><u>COMPONENTE IMPORTADO</u></p> <p><i>En DOLARES AMERICANOS (US\$) o en EUROS equivalentes mediante transferencia bancaria a la siguiente cuenta</i></p> <p><i>AMERANT BANK (in US\$)</i> <i>220 ALHAMBRA CIRCLE, CORAL GABLES, FL. 33134</i> <i>CUENTA NUMERO 8303790106</i> <i>BENEFICIARIO INTECH INSTRUMENTOS Y EQUIPOS C.A.</i> <i>ABA 067010509</i> <i>SWIFT MNBMUS33</i></p> <p><u>COMPONENTE NACIONAL (IVA)</u></p> <p><i>En BOLIVARES (Bs.) mediante transferencia bancaria</i></p> <p><i>Banco Mercantil</i> <i>Cuenta Corriente a nombre de INTECH Instrumentos y Equipos C.A.</i> <i>- 0105-0011-73-1011-50499-5</i></p>		
	<p>OTRAS CONDICIONES</p> <p>1. Todos los Equipos suministrados por INTECH Instrumentos y Equipos son Nuevos y cuentan con Certificados de Conformidad del Fabricante en caso de ser requeridos</p> <p>2. El valor del IVA podrá ser pagado y/o retenido en moneda local (Bs.) a la tasa referencial del día en caso de que el mismo no pueda ser pagado en US\$. El valor utilizado para el cálculo del mismo es tomado de acuerdo a lo informado por el Banco Central de Venezuela en su portal web www.bcv.org.ve y deberá ser cancelado a la tasa oficial del día de pago o de la retención correspondiente</p> <p>3. Todos los materiales mantienen las condiciones de garantía Standard de los fabricantes.</p> <p>4. INTECH como representante y/o distribuidor exclusivo de múltiples marcas en el área de Instrumentación Industrial, calentamiento Eléctrico y Equipos de Laboratorio, solo suministrara garantía y servicio a los equipos y materiales adquiridos a través de los canales de venta autorizados de INTECH tanto localmente como internacionalmente</p> <p>5. Aporte SOCIAL: Esta Incluido en los precios y forma parte de la Oferta</p> <p>6. Las empresas Mixtas no están sujetas a Impuesto a las Grandes Transacciones Financieras (IGTF), Por lo tanto, las facturas donde CHEVRON compra bienes o contrata servicios por cuenta de estas, no están sujetas a la percepción del IGTF. Todo ello con base en el Artículo 9, Numeral 3 de la Ley del IGTF (Gaceta Oficial Nro 6.687 Extraordinario de fecha 25/02/22.</p> <p>7. En caso de requerirse algún Tipo de Fianza de Anticipo, los Gastos de dicha Fianza serán</p>		

	<p><i>reembolsables (en la moneda de su contratación) y por cuenta del Cliente CHEVRON, una vez recibidos los materiales en su almacén.</i></p> <p>In Tech Instrumentos y Equipos, C.A. RIF: J-30615033-1 NIT: 0096996004</p> 		
--	--	--	--

Please Transfer to Account of:
 Bank: Amerant Bank
 Address: 220 Alhambra Circle, Coral Gables,
 Florida 33134, USA
 ABA: 067010509
 Swift: MNBMUS33

Beneficiary: INTECH INSTRUMENTOS Y EQUIPOS
 C.A.
 Account # 8303790106

Subtotal	US\$	924,110.00
Freight	US\$	Incluido
Insurance	US\$	--
IVA 16%	US\$	147,857.60
IGTF 3%	US\$	---
TOTAL	US\$	1,071,967.60