



Sales Quote

INDUSTRIAL BUSINESS INTL CORP

1580 Sawgrass Corporate Parkway
Suite 130, Sunrise, FL 33323
Tel: 954-302-3187, 315-4781
Fax: 954-838-7746
E-mail: ibicorp@intech-ie.com
Tax Certificate No. 16-8012998465-1

Quote #

IBI-2026-0051

Date:

April 21st, 2026

Customer ID

PETROPIAR - VEN

Bill To:

Chevron PetroPiar

Complejo Petrolero y Petroquimico Jose, Edo
Anzoategui, Venezuela
Att: Ing, Jesus Arcila – Confiabilidad
arcilajs@petropiar.pdvs.com

Ship To:

Custom Agent to be informed at La Guaira port,
Venezuela

Your #	Our #	Sales Rep	CIF	SHIP VIA	Terms	Validity
Budgetary	IBI-2026-0051 / 4235096/0	L. Zuñiga W. Brito	Maiquetia Aiport	BWPPD	See below	60 days

Item	Qty	Units	Description	Unit Pr (US\$)	Total (US\$)
1	6	Systems	VEGA LEVEL System for Sulphur Pastilles Storage Tags #: 64-LX-001 + 64-LT-001 64-LX-002 + 64-LT-001 68-LX-001 + 68-LT-001 68-LX-002 + 68-LT-002 68-LX-003 + 68-LT-003 68-LX-004 + 68-LT-004 Each System will incudes: • One (1) VEGASOURCE , Model SE82.1AA11ANG15AXXXX Application VEGASOURCE 82 is used for safe reception of a gamma emitter which is used as a radiation source for radiation-based level, density, mass flow and level measurements. The radiation is emitted undamped only in one defined direction. VEGASOURCE 83 reliably shields the environment against gamma radiation in all other directions. Your benefit: - Optimum shielding allows low weight and use without control areas - Exceptional ON/OFF repeatability - Operational reliability through electric or pneumatic ON/OFF switching Generation 1 : First generation License AA : without / worldwide Source loading 1 : Cesium 137 (Cs-137) Source activity 1AN : 3.7 GBq / 100 mCi (Cs-137) Source capsule / type G1 : Capsule X38/P13/P17 (Form A-2102) Emission angle 5 : 45° Material A : 316 Version X : Manual, lock for position OFF Additional equipment X : without Explosion protection for X : without	US\$ 84,500.00	US\$ 507,000.00

		additional equipment Protective cap X : without ON/OFF labelling : English Certificate / Standard : 3.1-Inspection certificate for instrument with Test data incl. isodistance curve (EN 10204) Operating Instructions : without Measurement loop identification (TAG) : of stainless steel Customs tariff number (HS code) : 90222900 • One (1) FIBERTRAC 31, Model FT31.XX1VDNXX120 Radiation-based sensor for continuous level measurement Application area The FIBERTRAC 31 is a radiation-based sensor with flexible plastic sensing element for continuous measurement of liquids and bulk solids. It is suitable for level measurement under extreme process temperatures, in case of critical product features or aggressive products. The FIBERTRAC 31 delivers precise measuring results even under hardest application conditions. Your benefit - High plant availability through non-contact measurement - Simple mounting on round and conical vessels through flexible detector - Cost saving through use of only one sensor up to 7 m measuring range Approval directive / Scope : FM / USA Approval XX : without, for Ex-Free area (CE, c-CSA-us) Version / Ambient temperature 1 : Standard / -40...+50°C Electronics V : Four-wire 4 ... 20 mA/HART Housing / Protection D : Aluminium double chamber / IP66/IP67 Housing special color : Standard Cable entry / Cable gland / Plug N : ½ NPT / without / without connection Display/adjustment module PLICSCOM X : without Additional equipment X : Without Shipment cooling option : without, no cooling required Active length 120 : 120"/3048 mm Menu language : EN - English Mounting accessory : with Application-specific settings : without Operating instructions : without Type label / Measurement loop : of foil / of stainless steel identification label Test certificate : without Certificate / Standard : (D) 3.1-Inspection certificate for instrument with test Data (EN 10204) Customs tariff number (HS code) : 90301000 Software Version : 3.1.0 device revision 3 • One (1) Kit of Recommended Spare Parts for 2-yr operation, which includes - 1 Electronics FIBERTRAC 30 series, PT30FIBER-E.1BV, Instrument version 1 : FIBERTRAC 31, Instrument version B : 72"/1829mm...132"/3353mm, Electronics V : Universal four-wire 4 ... 20 mA/HART, with programming : No, Operating instructions : without Customs tariff number (HS code) : 90309000, Software version : 3.1.0 device revision 3 • On-site Assistance on Commissioning, Start-up and Training be done at CHEVRON PETROPIAR, JOSE COMPLEX Jobsite, Venezuela, by One (1)		
--	--	--	--	--



			Certified Technician during Two (2) Working days • Drawings Approval, Vendor Documentation (Radiometric Safety, Autocalibration (if Applicable), Common Protocol, ExProof Certificates		
			Delivery Time 8 – 10 Weeks ARAD and payment of 1st milestone Payment Terms 50% with Your Order 50% with Shipment from Manufacturer to Venezuelan Airport Volume & Weight Estimated GROSS Weight: 1,300 Lbs Estimated Volume: To be advised Cci: Williams Brito – INTECH Lecherias		
			MANUFACTURER NOTES ABOUT SHIPMENT SCHEDULE **VEGA remains committed to delivering our products on-time whenever possible; challenges from the ongoing pandemic, however, may lead to delays in quoted delivery dates. You will be notified in the event of any postponement. Please Note: Once a purchase order has been received, manufacturing of the equipment will not begin until VEGA Americas has received both the customer approved Code 1 - No Comments equipment outline drawings and all other applicable approval documents. The shipment schedule is subject to change based on the timely receipt of these items and previous agreements will be considered invalid should the delay in shipment be a result of the buyer not providing drawings and documents in a timely manner. A valid copy of the end-user's radioactive license must be received and accepted by our Licensing Specialist before the order is shipped. Due to flight availability and the specialized nature of radiometric equipment, securing a flight for radiometric source holders shipping internationally may take 3-4 weeks following the customer's shipment release		

PLEASE TRANSFER TO OUR ACCOUNT AT:

Branch Banking & Trust Co.
450 North Pine Island
Plantation, FL 33324
Account #: 0140953040
ABA# 053-101-121
Routing/Transit Number: 2631-9138-7
Swift Code: BRBTUS33

THANK YOU FOR YOUR BUSINESS

Subtotal	US \$	507,000.00
Freight	US \$	Included
Insurance	US \$	Included
Docs.	US \$	-
TOTAL	US \$	\$507,000.00