



Sales Quote

INDUSTRIAL BUSINESS INTL CORP

1580 Sawgrass Corporate Parkway
Suite 130, Sunrise, FL 33323
Tel: 954-302-3187, 315-4781
Fax: 954-838-7746
E-mail: ibicorp@intech-ie.com
Tax Certificate No. 16-8012998465-1

Quote #

IBI-2025-0055

Date:

May 06th, 2026

Customer ID

APC - Limp

Bill To:

Alimentos Polar Comercial, C.A.

RIF: J-00041312-6

Av 4ta Transversal Con 2da Ave Edif Centro
Empresarial Polar Piso 1 Of Principal Urb Los
Cortijo Urb Los Cortijo Zona Postal 1071
Atn: Lisbeth Giesurin
Telf.: N/D
E-mail: lisbeth.giesurin@empresaspoler.com

Ship To:

Material will be sent to customer's
warehouse/broker, Maiquetia Airport, VEN

Your #	Our #	Sales Rep	Incoterms - CPT	SHIP VIA	Terms	Validity
Budgetary	IBI-2026-0055/PL CFT-194	N. Carricatti	Maiquetia Airport	Pick up	Ver abajo	60 days

Item	Qty	Units	Description	Unit Pr (US\$)	Total (US\$)
1	1	Set	ALL IN ONE TQC Sheen Washability Tester, CFT PN 902480 -Technical Data Traverse speed: 1 - 60 cycles per minute -Traverse speed accuracy: + / - 1% of set speed -Stroke length: 20 - 300 mm / 0.39 - 11.81 in -Stroke length accuracy: + / - 0.01 mm -Pump flow rate: 0.0 - 3.0 ml per minute / 0.0 - 0.79 GPH -Max. panel width: 70 mm / 2.76 in -Max. panel length: 350 mm / 13.78 in -Max. panel height: 35 mm / 1.38 in -Dimensions and Weight Depth: 490 mm / 19.3 in -Depth with pumps: 530 mm / 20.87 in -Width: 640 mm / 25.2 in Height: 235 mm / 9.24 in -Mass: 30 - 35 kg / 66.14 - 77.16 lbs (depending on model) Includes: - CFT clampset, 4 cloth holders, 2 trayinlay, 2 trays, 4 holders	\$28,260.00	\$28,260.00
2	1	Set	FORCE TENSIO METER K20, KRUS PN OMHQ4244 Force Tensiometer - K20 for automatic measurements of surface and interfacial tension by ring and plate method for battery and power supply operation Extent of delivery: - Basic instrument - with LCD display - illumination of liquid surface - Sample table - motor driven - 1 Sample vessel with outer diameter 70 mm (see SV20) - 1 Mains cable - Data transmission cable - for data transfer to PC or printer	\$29,513.00	\$29,513.00

			- Manual Includes: PL21 Pt-Plate in protective box RI21 PtIr-Ring in protective box SV20 Sample vessel, fireproof, set of 6 pieces outer diameter 70 mm Remote installation and training.		
3	1	Pc	CLIMATEST CH 250 NEW Climatic Chamber, 250LT, GIORGIO BORMAC PN 41201422 Features Operating range RH: +45 ... +95% RH Operating range humidity: +10°C ... 70°C Operating range without humidity: 0°C ... +85°C Data logging and downloading via USB key Alarm and operation logging Ramps and graphic display Multi-user management Other features ArgoLab climatic chamber. Large 7-inch colour touchscreen display. Working data logging of up to 200.000 values and download to USB stick. Alarm and operation logging. Temperature & Humidity ramp function for specialist applications. Graphical display of temperature trends. Multi-user management with 5 authorisation levels. Mini printer for output of set and measured parameters supplied as standard. Safety class 3.1 (DIN 12880): maximum temperature controller with fluid expansion. Stainless steel chamber with rounded edges. Steel outer door with large glass window and manually switched LED lights for sample observation. 50 mm diameter internal side passage hole for insertion of external sensors for control and/or certification. Innovative space-saving external water tank with ergonomic screw cap for fast and safe filling. Power supply 220 ± 10% V – 50/60 Hz Supplied as standard three steel grid shelves, external tank and USB key for data logging and downloading	\$22.518,00	\$22.518,00
			Delivery Time Luego de recibir orden de compra y pago, Items: 8-12 semanas aprox. El tiempo de entrega de los elementos ofertados queda sujeto a cambios generados por eventos fuera de manejo de la compañía como: 1. Fenómenos climáticos que no permitan el transporte de materia prima a la fábrica, transporte local en el extranjero del material manufacturado y/o transporte internacional del producto. 2. Normal funcionamiento de aduana Venezolana y/o extranjeras. 3. Alteración del orden público en el país de origen, país en tránsito y/o país final. 4. Actos delictivos y/o terroristas. 5. Cualquier otro evento considerado de fuerza mayor.		

**INDUSTRIAL BUSINESS INTL CORP**

1580 Sawgrass Corporate Parkway
Suite 130, Sunrise, FL 33323
Tel: 954-302-3187, 315-4781
Fax: 954-838-7746
E-mail: ibicorp@intech-ie.com

			Payment terms 100 % con orden de compra Volume & Weight Peso y volumen por notificar Item 3: Pallet 103x86x188 – 268 kg		
--	--	--	---	--	--

**PLEASE TRANSFER TO OUR
ACCOUNT AT:**

Branch Banking & Trust Co.
450 North Pine Island
Plantation, FL 33324
Account #: 0140953040
ABA# 053-101-121
Routing/Transit Number: 2631-9138-7
Swift Code: BRBTUS33

**THANK YOU FOR YOUR BUSINESS**

Subtotal	US \$	80,291.00
Freight	US \$	Included
Insurance	US \$	Included
Docs.	US \$	Included
TOTAL	US \$	80,291.00