



Sales Quote

INDUSTRIAL BUSINESS INTL CORP

1580 Sawgrass Corporate Parkway

Suite 130, Sunrise, FL 33323

Tel: 954-302-3187, 315-4781

Fax: 954-838-7746

E-mail: ibicorp@intech-ie.com

Tax Certificate No. 16-8012998465-1

Quote #**IBI-2025-0043****Date:**Feb 27th, 2025**Customer ID****SHELL****Bill To:****Disbattery lubricantes S.A.****RIF: J-41310543-8**

Calle 79 (Domingo Olavarría) Local Parcela 6-2

Zona Industrial Municipal Sur Valencia – Carabobo.

Zona Postal 2003

Telf: 0424-4145611

Attn: Vanessa Cambero

Correo:

vanessa.cambero@disbatterylubricantes.com

Ship To:El material se enviará al almacén del cliente en
Valencia, Edo. Carabobo - Venezuela

Your #	Our #	Sales Rep	Incoterms - DDP	SHIP VIA	Terms	Validity
Budgetary	IBI-2024-0048/K- ZQ201031623- ZQ201031621	N. Carricatti	VAL	Pick up	See below	60 days

Item	Qty	Units	Description	Unit Pr (US\$)	Total (US\$)
1	1	Pc	DMA 4101 LABORATORY DENSITY METER, ANTON PAAR PN 192804-65085 For the determination of density and density-related values of liquids and gases using Anton Paar's patented Pulsed Excitation Method based on the oscillating U-tube technology. Includes state-of-the-art technologies exclusively available from Anton Paar: ThermoBalance™ for fast temperature changes without re-adjustments. FillingCheck™ and U-View™ for error-free measurements. Automatic and rapid full-range viscosity correction. Modular system for easy expansion, e.g. to include automatic sample filling units. Includes: DRYING CARTRIDGE	\$20.398,00	\$20.398,00
2	1	Pc	PORTABLE REFRACTOMETER SMARTREF, ANTON PAAR PN 251846	\$610,00	\$610,00
3	1	Set	SET PORTAVO 904PH PORTABLE PHMETER WITH TWO PH SENSORS (AQUEOUS AND NON-AQUEOUS SOLUTION), KNICK PN 904SET-PH / SE101-MS / CPELECHOLD Includes: Portavo 904 pH SE102-MS Memosens pH sensor CA/MS-001XFB-L cable ZU0934 field case USB connector CS-PSET479 CaliMat buffer solution set 3 x 250 mL One additional Memosen pH sensor - SE101-MS Electrodes support holder EW-98766-24 Cole-Parmer	\$3.341,00	\$3.341,00

4	1	Set	BOILING POINT APPARATUS SET (ASTM D1120), KOEHLER Comes with: KD1120 Distillation Apparatus Includes: - Flask, 1000mL - Condenser, 200mm K42191 Heating Mantle with Controller, 100-250mL, 220V 250-000-02C ASTM Thermometer 2C (-5C to +300C) 337-000-008 (2 units) Bunsen Clamp 338-000-001 (2 units) Clamp Holder 339-000-001 Base and Rod	\$3.480,00	\$3.480,00
5	1	Set	3 POSITION APPARATUS FOR STANDARD TEST METHOD FOR CORROSION TEST FOR ENGINE COOLANTS IN GLASSWARE (ASTM D1384), KOEHLER Comes with: KD1384-3P Includes: - (3) Glass Beaker, 1000mL - (3) Condenser - (3) Aerator Tube - (1) 3-Position Stainless Steel Heater KD1384-1P-1 (3 units) Metal specimen arrangement composed by: - Copper - Solder - Brass - Steel - Cast Iron - Cast Aluminum KD1384-1P-2 (3 units) Compact Diaphragm Air Pump for D1384, 220V 50/60Hz Vacuum and Compression application - Flow rate max. 5l/min - Pressure max. 0.3 bar rel. - Ultimate Vacuum max. 300 mbar (abs.) - Weight 0.85 Kg - Dimensions 72 x 72 x 180 mm - Valve Material NBR coated - 4mm connector included - Maintenance free - Power Supply 220 Vac 50-60Hz 250-000-01C (3 units) - ASTM Thermometer 1C (-20C to +150C)	\$25.943,00	\$25.943,00
6	1	Pc	AUTOMATIC COLORIMETER MODEL PFXi-880/9, LOVIBOND PN 1378803	\$19.145,00	\$19.145,00

			Applicable Standard ASTM D156 ASTM D1500 ASTM D6045 ASTM E308 ISO 2049 Colour Type Transparent Measuring Principle 16 interference filters Repeatability ± 0.0002 CIE xy Chromaticity on measurements of deionised water Detector blue enhanced photodiode Display 240 x 128, back-lit graphic display, (white on blue) Interfaces USB RS 232 Ethernet Path Length 0.1 - 153 mm (0.004" - 6") Measuring Geometrics 0° - 180° transmission Internal Storage 100,000+ Measurement Measurement Time less than 30 seconds Power Supply Universal (90 - 240 VAC), via external power supply Sample Chamber max 6" (153mm) cells Keypad 23 key tactile membrane keypad; washable polyester with audible feedback Instrument Housing Fabricated steel with tough, textured paint finish Spectral Range 420 - 710 nm Bandwidth 10 nm Baseline Calibration Single key press; fully automated Illuminants CIE Illuminant A, B, C, D65 CObserver 2°, 10° Compliance CE RoHS WEEE Languages User Interface English, French, German, Italian, Portuguese, Russian, Spanish, Chinese, Japanese Dimensions 515 x 170 x 196 mm		
			RECOMMENDED OPTIONAL		
7	1	Pc	CHILLER MODEL F-305, BUCHI PN 11F30502 Recirculating Chiller F-305 with 550 W at 15 C, 115 V The F-305 is an easy to use recirculating chiller. It features temperature lock, ECO-mode and temperature control in conjunction with the Interface I-300 (Pro). Features are: Control: local and remote via Interface I-300 / I-300 Pro Temperature range: -10°C to 20 °C (no heating) Chiller Type: cooling capacity of 550 W at 15 °C Voltage: 115 V	\$8.551,00	\$8.551,00
			Delivery Time After receipt of order and payment (subject to changes) Items 1 – 3: 4 – 7 weeks Item 4: 10 – 13 weeks Item 5: 12 – 15 weeks Item 6 – 7: 4 – 8 weeks The delivery time of the items offered is subject to changes generated by events outside the company's control, such as: 1. Climatic phenomena that do not allow the transport of raw material to the factory, local transport abroad of the manufactured material and/or international transport of the product. 2. Normal functioning of Venezuelan and/or foreign customs. 3. Disruption of public order in the country of origin, country of transit and/or final country. 4. Criminal and/or terrorist acts.		

**INDUSTRIAL BUSINESS INTL CORP**

1580 Sawgrass Corporate Parkway

Suite 130, Sunrise, FL 33323

Tel: 954-302-3187, 315-4781

Fax: 954-838-7746

E-mail: ibicorp@intech-ie.com

		5. Any other event considered major force.		
		Payment terms 100% with purchase order		
		Volume & Weight Weight / Volume to be advised		

**PLEASE TRANSFER TO OUR
ACCOUNT AT:**

Branch Banking & Trust Co.
450 North Pine Island
Plantation, FL 33324
Account #: 0140953040
ABA# 053-101-121
Routing/Transit Number: 2631-9138-7
Swift Code: BRBTUS33

THANK YOU FOR YOUR BUSINESS

Subtotal	US \$	81,468.00
Freight	US \$	Included
Insurance	US \$	Included
Docs.	US \$	Included
TOTAL	US \$	81,468.00