



# Sales Quote

## INDUSTRIAL BUSINESS INTL CORP

1580 Sawgrass Corporate Parkway  
Suite 130, Sunrise, FL 33323  
Tel: 954-315-4781  
Fax: 954-838-7746  
E-mail: [ibicorp@intech-ie.com](mailto:ibicorp@intech-ie.com)

Quote #

IBI-2025-0181

Date:

Dec 8<sup>th</sup>, 2025

Customer ID

PETROPIAR COB

### Bill To:

#### CHEVRON PetroPiar

Complejo Petrolero y Petroquimico Jose, Edo  
Anzoategui, Venezuela  
Attn: Hector Santaella. – Ingenieria de Costos  
TLF: +58-412-1838379  
[santaellahj@pdvsa.com](mailto:santaellahj@pdvsa.com)

### Ship To:

Custom Agent to be informed at Maiquetia Airport  
Venezuela

| Your #  | Our #                | Sales Rep             | CIF                   | SHIP VIA | Terms       | Validity |
|---------|----------------------|-----------------------|-----------------------|----------|-------------|----------|
| 25-0514 | 2025-0181 // 22379-1 | L. Zuñiga<br>W. Brito | Maiquetia,<br>Airport | BWPPD    | See details | 60 days  |

| Item | Qty | Units | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Unit Pr (US\$) | Total (US\$) |
|------|-----|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|--------------|
| 1    | 4   | Eqp   | <b>WIKA MAGNETIC LEVEL GAGE</b><br><b>BNA-1"/300/RF-M1.400-L60x2.77-MRA/SAI-ZVSS 245</b><br>Magnetic Level Gauge Type BNA-S00<br>Pressure: 1 bar ; Temp.: 14°F...170 °F; Fluid density: 957 kg/m³<br>Design code: ASME B31.3<br>Test pressure: 2 bar<br>Chamber dimensions: OD 60.3 x 2.77 mm (2" Sch. 10S) Duo stainless steel 316/316L (EN 1.4401/1.4404)<br>Process connection: Flange ASME B16.5 1" 300# Form RF<br><b>Distance C-to-C: 55,1 inch</b><br><b>Measuring range: 55,1 inch</b><br>Chamber end top: Pipe cap<br>Chamber end bottom: Flange ASME B16.5 2" 150# Form RF<br>Vent connection: Ball valve female 3/4"NPT (closed with plug)<br>Drain connection: Ball valve female 3/4"NPT (closed with plug)<br>Float: ZVSS245<br>Dampening element: Dampening spring, bottom, with cover<br>Gasket(s): Sigraflex Universal Pro<br>Bolting: UNC series, carbon steel A193 Gr. B7 HDG / A194 Gr. 2H HDG<br>Top stand-off (T): 3,9 inch<br>Bottom stand-off (U): 8,6 inch<br>Distance lower process connection to end of the drain: 388<br>Side distance (X): 3.9 inch (maximal)<br>Nameplate: Aluminium laser printed<br><b>MRA/SAI-M1.400</b><br>Level Indicator for Magnetic Level Gauge Type BMD-SA<br>Measuring range: 55,1 inch<br>Housing material: Aluminium anodized<br>Indicating elements: Rollers Red & white<br>Graduated scale: Aluminium engraved Graduation unit: inch<br>Indicator window: Makrolon PC<br><br><b>Tags # 18-LI-4000, 18-LI-4003, 18-LI-4006, 18-LI-4034</b> | 7.990.00       | 31,960.00    |

|   |   |     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |          |           |
|---|---|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| 2 | 4 | Eqp | <p><b>WIKA MAGNETIC LEVEL GAGE</b><br/> <b>BNA-1"/300/RF-M1.829-L60x2.77-MRA/SAI-ZVSS 245</b><br/> Magnetic Level Gauge Type BNA-S00<br/> Pressure: 1 bar ; Temp.: 14°F...170 °F; Fluid density: 957 kg/m<sup>3</sup><br/> Design code: ASME B31.3<br/> Test pressure: 2 bar<br/> Chamber dimensions: OD 60.3 x 2.77 mm (2" Sch. 10S) Duo stainless steel 316/316L (EN 1.4401/1.4404)<br/> Process connection: Flange ASME B16.5 1" 300# Form RF<br/> <b>Distance C-to-C: 72,0 inch</b><br/> <b>Measuring range: 72,0 inch</b><br/> Chamber end top: Pipe cap<br/> Chamber end bottom: Flange ASME B16.5 2" 150# Form RF<br/> Vent connection: Ball valve female 3/4"NPT (closed with plug)<br/> Drain connection: Ball valve female 3/4"NPT (closed with plug)<br/> Float: ZVSS245<br/> Dampening element: Dampening spring, bottom, with cover<br/> Gasket(s): Sigraflex Universal Pro<br/> Bolting: UNC series, carbon steel A193 Gr. B7 HDG / A194 Gr. 2H HDG<br/> Top stand-off (T): 3,9 inch<br/> Bottom stand-off (U): 8,6 inch<br/> Distance lower process connection to end of the drain: 388<br/> Side distance (X): 3.9 inch (maximal)<br/> Nameplate: Aluminium laser printed<br/> <b>MRA/SAI-M1.829</b><br/> Level Indicator for Magnetic Level Gauge Type BMD-SA<br/> Measuring range: 72,0 inch<br/> Housing material: Aluminium anodized<br/> Indicating elements: Rollers Red &amp; white<br/> Graduated scale: Aluminium engraved Graduation unit: inch<br/> Indicator window: Makrolon PC<br/> <br/> <b>Tags: # 48-LG-5127, 48-LG-5128, 48-LG-5146, 48-LG-5147</b></p> | 8,875.00 | 35,500.00 |
| 3 | 2 | Eqp | <p><b>WIKA MAGNETIC LEVEL GAGE</b><br/> <b>BNA-2"/300/RF-M610-L60x2.77-MRA/SAI-ZVSS 245</b><br/> Magnetic Level Gauge Type BNA-S00<br/> Pressure: 1 bar ; Temp.: 14°F...170 °F; Fluid density: 957 kg/m<sup>3</sup><br/> Design code: ASME B31.3<br/> Test pressure: 2 bar<br/> Chamber dimensions: OD 60.3 x 2.77 mm (2" Sch. 10S) Duo stainless steel 316/316L (EN 1.4401/1.4404)<br/> Process connection: Flange ASME B16.5 2" 300# Form RF<br/> <b>Distance C-to-C: 24,0 inch</b><br/> <b>Measuring range: 24,0 inch</b><br/> Chamber end top: Pipe cap<br/> Chamber end bottom: Flange ASME B16.5 2" 150# Form RF<br/> Vent connection: Ball valve female 3/4"NPT (closed with plug)<br/> Drain connection: Ball valve female 3/4"NPT (closed with plug)<br/> Float: ZVSS245<br/> Dampening element: Dampening spring, bottom, with cover<br/> Gasket(s): Sigraflex Universal Pro<br/> Bolting: UNC series, carbon steel A193 Gr. B7 HDG / A194 Gr. 2H HDG<br/> Top stand-off (T): 3,9 inch<br/> Bottom stand-off (U): 8,6 inch<br/> Distance lower process connection to end of the drain: 388<br/> Side distance (X): 6.7 inch (maximal)<br/> Nameplate: Aluminium laser printed<br/> <b>MRA/SAI-M610</b></p>                                                                                                                                                                                                                                                                                                                                                                      | 7,400.00 | 14,800.00 |



**INDUSTRIAL BUSINESS INTL CORP**

1580 Sawgrass Corporate Parkway  
Suite 130, Sunrise, FL 33323  
Tel: 954-315-4781  
Fax: 954-838-7746  
E-mail: ibicorp@intech-ie.com

|  |  |                                                                                                                                                                                                                                                                                                                                   |  |  |
|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
|  |  | <p>Level Indicator for Magnetic Level Gauge Type BMD-SA<br/>Measuring range: 24,0 inch<br/>Housing material: Aluminium anodized<br/>Indicating elements: Rollers Red &amp; white<br/>Graduated scale: Aluminium engraved Graduation unit: inch<br/>Indicator window: Makrolon PC</p> <p><b>Tags: # 48-LG-4907, 48-LG-2701</b></p> |  |  |
|  |  | <p><b>Delivery Time</b><br/><b>14-16 Weeks after Receipt of Drawing Approvals</b></p> <p><b>Payment Terms</b><br/>• Net 30 days delivery from manufacturer</p> <p><b>Volume &amp; Weight</b><br/>• To be informed</p>                                                                                                             |  |  |

**PLEASE TRANSFER TO OUR  
ACCOUNT AT:**

Truist Bank  
450 North Pine Island  
Plantation, FL 33324  
Account #: 0140953040  
ABA# 053-101-121  
Routing/Transit Number: 2631-9138-7  
Swift Code: BRBTUS33

THANK YOU FOR YOUR BUSINESS

|                  |             |                  |
|------------------|-------------|------------------|
| <b>Subtotal</b>  | <b>US\$</b> | <b>82,260.00</b> |
| <b>Freight</b>   | <b>US\$</b> | <b>Included</b>  |
| <b>Insurance</b> | <b>US\$</b> | <b>Included</b>  |
| <b>Docs.</b>     | <b>US\$</b> | <b>Included</b>  |
| <b>TOTAL</b>     | <b>US\$</b> | <b>82,260.00</b> |