



Sales Quote

INDUSTRIAL BUSINESS INTL CORP

1580 Sawgrass Corporate Parkway
Suite 130, Sunrise, FL 33323
Tel: 954-302-3187, 315-4781
Fax: 954-838-7746
E-mail: ibicorp@intech-ie.com
Tax Certificate No. 16-8012998465-1

Quote #

IBI-2025-0186

Date:

Dec 17th, 2025

Customer ID

PAVECA

Bill To:

PAPELES VENEZOLANOS, C.A.

RIF: J-00028115-7

Planta Guacara Carretera Nacional Guacara – San
Joaquín, Kilometro 1. Estado Carabobo

Telf: 0424-4176545

Attn: Luis Fernando Romero

Correo: Mi correo es luis.romero@paveca.com.ve

Ship To:

El material se enviará al almacén/broker del
cliente en Miami, FL - USA

Your #	Our #	Sales Rep	Incoterms - C+F	SHIP VIA	Terms	Validity
Budgetary	IBI-2025-0186	N. Carricatti	Miami, FL	Pick up	See below	60 days

Item	Qty	Units	Description	Unit Pr (US\$)	Total (US\$)
1A	1	Pc	Nova 600 SURFACE AREA AND PORE SIZE ANALYZER, ANTON PAAR PN 230147 All-in-one analyzer with 2 analysis stations and optional 8 or 4 degassing stations accesory in a compact footprint of 63 cm (W) x 44 cm (D) offers a complete analytical solution from sample preparation to analysis. Included Kaomi for Nova PC software controls up to 4 instruments. Key Features: - 10-inch graphical touchscreen for full instrument control and detailed visualization of analysis results. - More than 20 standard compliant methods and reports pre-loaded. - TruZone : Active coolant level control for high analysis sensitivity. - Dedicated P0 cell and transducer for a precise saturation pressure. - DoseWizard and Vectordose : Intelligent dosing for fast measurements. - Reproducibility and repeatability better than 2% over analysis range. - PowderProtect : Precise evacuation without powder elutriation. - 2 L Dewar and long cells optimized for pore size analysis included. - Type B glassware compatible.	\$46.500,00	\$46.500,00
1B	1	Pc	Nova 800 SURFACE AREA AND PORE SIZE ANALYZER, ANTON PAAR PN 230146 High throughput, all-in-one analyzer with 4 analysis stations and optional 8 or 4 degassing stations accesory in a compact footprint of 63 cm (W) x 44 cm (D) offers a complete analytical solution from sample preparation to analysis. Included Kaomi for Nova PC software controls up to 4 instruments. Key Features: - 10-inch graphical touchscreen for full instrument control and detailed visualization of analysis results. - More than 20 standard compliant methods and reports pre-loaded.	\$53.025,00	\$53.025,00

			- TruZone : Active coolant level control for high analysis sensitivity. - Dedicated P0 cell and transducer for a precise saturation pressure. - DoseWizard and Vectordose : Intelligent dosing for fast measurements. - Reproducibility and repeatability better than 2% over analysis range. - PowderProtect : Precise evacuation without powder elutriation. - 2 L Dewar and long cells optimized for pore size analysis included. - Type B glassware compatible.		
2	1	Set	SET DEGASSING UNIT WITH VACUUM PUMP & REFERENCE MATERIAL, ANTON PAAR 9843484 Includes: Nova Degassing Accessory Vacuum and Flow degassing of samples from ambient to 425C. 8 Degassing stations with 2 heating zones and 8 cooling racks Supplied with below parts: 193362 Sample Cell adapter 6mm 4 pcs 193820 O-Ring FKM 6mm 4 pcs 17295 Fuse 5A 2 pcs 322978 Nova Degasser vacuum Degas Adapter 4 pcs Vacuum Pump, 100-120V Two stage, direct drive oil vacuum pump with ultimate vacuum to 3.0x10⁻³ mbar. Noise level 54 dB(A). SURFACE AREA REFERENCE MATERIAL, 2005 SARM 2005, Aluminum oxide used to validate physisorption systems. Certified value of Specific Surface Area of nominally 100 m²/g. Need Helium and Nitrogen gas, and liquid nitrogen. Minimum 0.1 g. One bottle contains 13 g sample of white powder for 11 point BET.	\$8.285,00	\$8.285,00
3	1	Set	SET REGULATORS (2 UNITS) AND PC MODULE, ANTON PAAR 9843486 Includes: REGULATOR (CGA)-N₂/HE/AR/KR, 25 PSIG (2 UNITS) Two stage, gas regulator for inert gasses nitrogen, helium, argon, krypton, etc. North American CGA-580 fitting. Output pressure range 0 - 1.7 bar (0 - 25 psig). Includes isolation valve and 1/8 inch Swagelok output fitting. CONTROLLER/DATA MANAGEMENT MODULE (PC) Dell Optiplex or equivalent, equipped with Windows 10 Professional or newer. Includes 20 inch flat screen monitor.	\$7.218,00	\$7.218,00
			Delivery Time 6-8 weeks after receipt of order and payment (subject to changes) The delivery time of the items offered is subject to changes generated by events outside the company's control, such as: 1. Climatic phenomena that do not allow the transport of raw material to the factory, local transport abroad of the manufactured material and/or international transport of the product. 2. Normal functioning of Venezuelan and/or foreign customs. 3. Disruption of public order in the country of origin, country of transit and/or final country.		

**INDUSTRIAL BUSINESS INTL CORP**

1580 Sawgrass Corporate Parkway
Suite 130, Sunrise, FL 33323
Tel: 954-302-3187, 315-4781
Fax: 954-838-7746
E-mail: ibicorp@intech-ie.com

		4. Criminal and/or terrorist acts. 5. Any other event considered major force. Payment terms 100% prepayment with purchase order Volume & Weight Weight / Volume to be advised		
--	--	--	--	--

***PLEASE TRANSFER TO OUR
ACCOUNT AT:***

Branch Banking & Trust Co.
450 North Pine Island
Plantation, FL 33324
Account #: 0140953040
ABA# 053-101-121
Routing/Transit Number: 2631-9138-7
Swift Code: BRBTUS33

THANK YOU FOR YOUR BUSINESS

<i>Subtotal</i>	<i>US \$</i>	<i>TBD</i>
<i>Freight</i>	<i>US \$</i>	<i>Included</i>
<i>Insurance</i>	<i>US \$</i>	<i>Included</i>
<i>Docs.</i>	<i>US \$</i>	<i>Included</i>
<i>TOTAL</i>	<i>US \$</i>	<i>TBD</i>