



Sales Quote

INDUSTRIAL BUSINESS INTL CORP

1580 Sawgrass Corporate Parkway
Suite 130, Sunrise, FL 33323
Tel: 954-315-4781
Fax: 954-838-7746
E-mail: ibicorp@intech-ie.com

Quote #**IBI-2024-0001****Date:****Jan 16th, 2024****Customer ID****CHEVRON PETROPIAR****Bill To:****CHEVRON GLOBAL TECHNOLOGY SERVICES COMPANY**

Av. Ppal La Estancia, Centro Banaven, Torre D,
Piso 7, Chuao, Caracas 1060, Venezuela
Att: **Javier Hernández** - Contracts Analyst
Midstream & Downstream
javier.hernandez1@chevron.com

Ship To:**CHEVRON GLOBAL SERVICES CO, C/O KUEHNE + NAGEL INC.**

1020 Rankin Rd, Houston, TX 77073, USA

NOTIFY TO: Kuehen&Nagel

Attn: Laura Prada – Tel: +58-281-9850402, Cel: +1
713- 997.9354

Laura.Prada@Kuehne-nagel.com

Your #	Our #	Sales Rep	FCA	SHIP VIA	Terms	Validity
Email	2024-0001 / 1355RB	L. Zuñiga W. Brito	Houston, TX, USA	BWPPD	See details	60 days

Item	Qty	Units	Description	Unit Pr (US\$)	Total (US\$)
FURNACE H-12					
1	48	Pcs	GAYESCO WIKA XTPD-K-25-SO-U/U-303"-E7Z Gayesco Xtracto Pad Tubeskin Assembly Thermocouple, type K, 1/4" sheath OD, 310 SS sheath material, duplex grounded element, 303" sheath length including (4) 3-1/2" OD expansion loops and 120" wrap around 5" OD tube. Teflon insulated lead wire terminates to 3/4" x 3/4" explosion-proof cast aluminum head via 3/4" NU-N assembly with 1-1/2" x 3/4" hex bushing. Includes 310 SS curved heat shield, weld pad, guide channel, and half tube clips. TAGS #: 12-TE-098E / 12-TE-101E / 12-TE-106C / 12-TE-111B / 12-TE-138B / 12-TE-138C / 12-TE-138F / 12-TE-141F / 12-TE-146B / 12-TE-098A / 12-TE-106A / 12-TE-106D / 12-TE-098B / 12-TE-098C / 12-TE-098D / 12-TE-098F / 12-TE-101A / 12-TE-101B / 12-TE-101C / 12-TE-101D / 12-TE-101F / 12-TE-106B / 12-TE-106E / 12-TE-106F / 12-TE-111A / 12-TE-111C / 12-TE-111D / 12-TE-111E / 12-TE-111F / 12-TE-138A / 12-TE-138D / 12-TE-138E / 12-TE-141A / 12-TE-141B / 12-TE-141C / 12-TE-141D / 12-TE-141E / 12-TE-146A / 12-TE-146C / 12-TE-146D / 12-TE-146E / 12-TE-146F / 12-TE-151A / 12-TE-151B / 12-TE-151C / 12-TE-151D / 12-TE-151E / 12-TE-151F	\$2,020.00	96,960.00
2	2	Pcs	GAYESCO WIKA XTDP-K-25-S0-HPUU-119"-E7Z(12") Gayesco Xtracto Pad Tubeskin Assembly, Thermocouple Type K, 1/4" sheath OD, 310SS sheath material, duplex ungrounded element, 119" sheath length including (4.25) 3.5" OD Expansion Coils, 12" Teflon Insulated Lead Wire w/Sheath Transition. Includes 310SS Heat Shield, Weld Pad with Guide Channel and Half Tube Clips TAGS #: 12-TE-125 / 12-TE-165	1,810.00	3,620.00
3	2	Pcs	GAYESCO WIKA XTDP-K-25-S0-HPUU-139"-E7Z(12") Gayesco Xtracto Pad Tubeskin Assembly, Thermocouple Type K, 1/4" sheath OD, 310SS sheath material, duplex ungrounded element, 119" sheath length	1,870.00	3,740.00



INDUSTRIAL BUSINESS INTL CORP

1580 Sawgrass Corporate Parkway
Suite 130, Sunrise, FL 33323
Tel: 954-315-4781
Fax: 954-838-7746
E-mail: ibicorp@intech-ie.com

			including (4.25) 3.5" OD Expansion Coils, 12" Teflon Insulated Lead Wire w/Sheat Transition. Includes 310SS Heat Shield, Weld Pad with Guide Channel and Half Tube Clips TAGS #: 12-TE-127 / 12-TE-167		
4	2	Pcs	GAYESCO WIKA XTDP-K-25-S0-HPUU-99"-E7Z(12") Gayesco Xtracto Pad Tubeskin Assembly, Thermocouple Type K, 1/4" sheat OD, 310SS sheat material, duplex ungrounded element, 119" sheath length including (4.25) 3.5" OD Expansion Coils, 12" Teflon Insulated Lead Wire w/Sheat Transition. Includes 310SS Heat Shield, Weld Pad with Guide Channel and Half Tube Clips TAGS #: 12-TE-123 / 12-TE-163	1,790.00	3,580.00
5	2	Pcs	GAYESCO WIKA XTDP-K-25-S0-HPUU-77"-E7Z(12") Gayesco Xtracto Pad Tubeskin Assembly, Thermocouple Type K, 1/4" sheat OD, 310SS sheat material, duplex ungrounded element, 119" sheath length including (4.25) 3.5" OD Expansion Coils, 12" Teflon Insulated Lead Wire w/Sheat Transition. Includes 310SS Heat Shield, Weld Pad with Guide Channel and Half Tube Clips TAGS #: 12-TE-121 / 12-TE-161	1,780.00	3,560.00
6	4	Pcs	GAYESCO WIKA TC/TW TC15-2-0IM-1AW111FC-B002401BK0300 with TW30-B-I-CE@-UD-1425002750-K-G8-A-1063-1063 Thermocouple Type E, Simple element, Ungrounded, MgO, 1/4" OD, Sheat 310SS, Immersion Length 22", Total Length 46", Aluminum Ex-Proof Connection Head, Adjustable Compression Fitting 1/2" NPTM with Van Stone Thermowell, Straight Shank, 1 1/2" Flange Size, 300#, Bore Size 260", Material 347SS, Immersion length 14.25", Length to Flange 2.75" Approval Drawings included Equivalent to TE Model TC28659-Q-EE-U-22-24-AE-S-461(SP)T-2.75-14.25 TAGS #: 12-TE-212 / 12-TE-208 / 12-TE-210 / 12-TE-201	6,045.00	24,180.00
7	1	Pcs	XTPD-K-25-S0-G-94"-E7Z(576")-HIXBB-CS8 GAYESCO XTRACTOPAD THERMOCOUPLE, TYPE 'K', .250" SHEATH OD, 310SS SHEATH MATERIAL, SINGLE GROUNDED ELEMENT, 94" SHEATH LENGTH INCLUDES 180" WRAP AROUND 10-3/4" OD TUBE AND S-BENDS, AND 576" OF TEFLON INSULATED LEAD WIRE, ATTACHED TO A CAST IRON EXPLOSION PROOF HEAD VIA WEATHERTIGHT CORDGRIP BUSHING. INCLUDES: 310SS CURVED HEAT SHIELD, 310SS WELD PAD W/ GUIDE CHANNEL, (2) 310SS HALF TUBE CLIPS, SS COMPRESSION FITTING, AND CS REDUCING BUSHING. TAGS #: 12-TE-196	2,560.00	2,560.00
8	4	Pcs	GAYESCO WIKA TC TC15-2-0IM-9SF21JB-J12111JA20-084-0-ZZ Thermocouple Type K, Double element, Ungrounded, MgO, 1/4" OD, Sheat	3,275.00	13,100.00



		INC600, Immersion Length 72", Total Length 84", Aluminum Ex-Proof Connection Head, Adjustable Compression Fitting 1/2" NPTM Approval Drawings included TAGS #: To be defined IMPORTANT: Data Sheet and drawings required to confirm dimensioning												
		Delivery Time 8 - 10 Weeks ARAD Payment Terms • 50% with Order (Net 30 days) • 50% Net 30 days delivery time Packing Material will be Securely packed in wooden crates suitable for air freight and export. Wooden crates are certified ISPM-15. Sealing for Ocean freight is available at additional cost Volume & Weight (to be reconfirmed) Estimated No of Crates: 1 Each Crate of 84"W x 120"L, 30"H, @ 1150 Lbs / each Estimated Total Gross Weight: 522 Kgs General Warranty: Gayesco-WIKA warrants its products to be free from defects in material and/or workmanship for a period of eighteen (18) months following shipment or twelve (12) months following start up, whichever occurs first, provided that written claim be made during the period of the warranty. Gayesco-WIKA's obligation under this warranty is limited solely to repairing or replacing necessary parts and in no event shall Gayesco-WIKA be liable for damages in excess of the amount paid by the purchaser. Project Cancellation charges: <table><tr><td>15%</td><td>Up to submittal of Engineering & Design Drawings and Documents</td></tr><tr><td>25%</td><td>After submittal of Engineering & Design Drawings and Documents</td></tr><tr><td>50%</td><td>After material order placement and before production commences</td></tr><tr><td>75%</td><td>Within two weeks of production release</td></tr><tr><td>100%</td><td>Two weeks after production commences</td></tr></table>	15%	Up to submittal of Engineering & Design Drawings and Documents	25%	After submittal of Engineering & Design Drawings and Documents	50%	After material order placement and before production commences	75%	Within two weeks of production release	100%	Two weeks after production commences		
15%	Up to submittal of Engineering & Design Drawings and Documents													
25%	After submittal of Engineering & Design Drawings and Documents													
50%	After material order placement and before production commences													
75%	Within two weeks of production release													
100%	Two weeks after production commences													
		TECHNICAL Notes on all Materials: ASME BPVC SECTION VIII, DIVISION 1 All pressure retaining components will be designed, manufactured and tested per ASME BPVC Section VIII, Division 1, Latest Edition/Addenda. Gayesco can include code inspection and provide a U stamp with a U2A Certificate for an additional charge. GAYESCO QUALITY STATEMENT Gayesco's Quality Assurance Program is in accordance with ISO 9001. Our quality systems meets the same BPVC requirements in order to provide the Code 'U' stamp per Section VIII, Division 1.												

**INDUSTRIAL BUSINESS INTL CORP**

1580 Sawgrass Corporate Parkway

Suite 130, Sunrise, FL 33323

Tel: 954-315-4781

Fax: 954-838-7746

E-mail: ibicorp@intech-ie.com

--	--	--	--	--	--

**PLEASE TRANSFER TO OUR
ACCOUNT AT:**

TRUIST BANK.

450 North Pine Island

Plantation, FL 33324

Account #: 0140953040

ABA# 053-101-121

Routing/Transit Number: 2631-9138-7

Swift Code: BRBTUS33

Subtotal	US\$	151,300.00
Freight	US\$	-
Insurance	US\$	-
Docs.	US\$	-
TOTAL	US\$	151,300.00

THANK YOU FOR YOUR BUSINESS