

Instrumentos y Equipos C.A

INTECH Instrumentos y Equipos C.A.

Av. Río Caura, Torre Humboldt, Ofic 04-04,
Caracas, Venezuela 1080
Tel: 58-212-9784430, 9784433, 977.7654, 977.6346
Fax: 58-212-977.3613
E-mail: sales@intech-ie.com
RIF J-30615033-1

Quote # **C-2025-0351**
Date: **07/10/2025**
Customer ID **CHEVRON PETROPIAR**

Bill to:
CHEVRON GLOBAL TECHNOLOGY SERVICES COMPANY Av. Ppal La Estancia, Centro Banaven, Torre D, Piso 7, Chuao, Caracas 1060, Venezuela Att: Rafael Azuaje - Depto de Procura Rafael.Azuaje@chevron.com

Ship to:
CHEVRON PETROPIAR Warehouse Edo Anzoategui, Venezuela

Sales Rep.	Your #	Our #	Destiny	Terms	Validity
L. Zuñiga	VEN-PP-2025-104-11	C-2025-0351/ QUO00021894-1, LE	Venezuela	DDP Jose complex	30 days

Item	Cant	Description	Unit Price US\$	Total US\$
20	4	WIKA PRESSURE GAUGES SERIES 23X.30 - Solid-front Safety Case Pressure Process Gauge Model: 232.34 Specifications according to data sheet: APM 02.10 Case: Black Fiberglass Reinforced Thermoplastic (Pocan B4225) Bezel ring: Threaded, Black Fiberglass Reinforced Thermoplastic (Pocan B4225) Measuring System: Stainless Steel Case filling: without Nominal size: 4.5" Scale range: 0/300 psi Process Connection: Diaphragm Seal Connector location: lower mount Window: laminated safety glass Restrictor: stainless steel, D 0.6 Pointer: adjustable pointer Special design features: NACE Sour Gas Service Accuracy Class: +/- 0.5% (ASME B40.100 2A) Material pressure element: Measuring System 316L Case filling fluid: prepared for filling Ingress Protection: IP 65 Dial description: WIKA Dial background: Reflective Fluorescent Yellow *WIKA®* CHEVRON Logo (2 colors) serial number on dial: Serial number *...* stop pin on dial: at 6 o'clock QR code with extended serial number on dial	460.00	1,840.00
42	2	Camara Termografica FLUKE ModeloTI480 PRO, SuperResolucion por Software 1280 x 960, Enfoque Multisharp, Conectividad Inalambrica, Pantalla tactil de Alta resistencia 3.5" LCD 640x480, Sensibilidad Termica (NETD) <= 0.05 °C, Almacenamiento de Datos y captura de Imagenes, Rango de Medicion de -20 °C a +1000 °C,	34,500.00	69,000.00

		<p>Precision +/- 2°C o 2% (la mayor), Correccion de emisividad en pantalla, Grafico de Temperatura de la linea, Paletas de colores, Lentes inteligentes, Carcasa Robusta IP67, Dimensiones 27,7 cm x 12,2 cm x 16,7 cm, Peso 1.04 Kgs, Garantia dos (2) años contra defectos de fabricacion, Multi idioma . Incluye Accesorios standard y Estuche Rigido de transporte IP67, Hermetico</p>		
44	3	<p>Multimetro de proceso FLUKE 789, Rangos VCD 100 mV -1000V, VAC 400 mV - 1000V, 30.000 mA, 1000 Amps continuos VAC/VCD, 400 Ohm a 40Mohms, Comprobacion de Diodos 2000V, Continuidad acustica 100 Ohms, Fuente de alimentacion de 24 VDC, Ajuste de modo HART con alimentacion de lazo (añade una resistencia de 250 Ohms), Incluye Accesorios standard y ESTUCHE C25 Large Soft</p>	4,150.00	12,450.00
47	2	<p>Camara Termografica FLUKE ModeloTI480 PRO, SuperResolucion por Software 1280 x 960, Enfoque Multisharp, Conectividad Inalambrica, Pantalla tactil de Alta resistencia 3.5" LCD 640x480, Sensibilidad Termica (NETD) <= 0.05 °C, Almacenamiento de Datos y captura de Imagenes, Rango de Medicion de -20 °C a +1000 °C, Precision +/- 2°C o 2% (la mayor), Correccion de emisividad en pantalla, Grafico de Temperatura de la linea, Paletas de colores, Lentes inteligentes, Carcasa Robusta IP67, Dimensiones 27,7 cm x 12,2 cm x 16,7 cm, Peso 1.04 Kgs, Garantia dos (2) años contra defectos de fabricacion, Multi idioma . Incluye Accesorios standard y Estuche Rigido de transporte IP67, Hermetico</p>	34,500.00	69,000.00
60	10	<p>WIKA PRESSURE GAUGES Bourdon Tube Pressure Gauges, Test Gauge Stainless Steel Series EN 837-1 Model: 333.50 Specifications according to data sheet: APM 332.30 (APM 03.05) Case: stainless steel Bezel ring: cam ring (bayonet type), stainless steel Case filling: with Nominal size: 6" Unit of outer Scale: psi / -inHg Measuring range: gauge pressure range Scale range: 0/1000 psi Process Connection: 1/2 NPT Process connection material: stainless steel Pressure element material: stainless steel Connector location: lower mount Window: laminated safety glass Pointer: Knife-edge Pointer, Aluminum, Black Accuracy Class: class 0.6 Overpressure safe: 1.3 x full scale value Permissible ambient temperature: -20 ... +60 °C</p>	2,140.00	21,400.00

		<p>Permissible medium temperature: + 100 °C Case filling fluid: Glycerine Pressure Gauge Standard: International (standard Europe) Manufacturer logo: *WIKA* Serial number: with Serial number QR code with extended serial number on dial with thread protection</p>		
P1-20	2	<p>MITUTOYO Inside Micrometer Head, Series 137 Mechanical Tubular Inside Micrometers - Extension Rod Type, Carbide Tipped, Inch, Micrometer Head Stroke 0.5in, Range 2-2.5in, Micrometer Head Only - No Extension Rods</p>	595.00	1,190.00
		<p>Delivery Time Item 20, 60: 12-14 Weeks ARO Item 42, 44, 47, P1-20: 5-6 Weeks ARO</p> <p>Partial Shipments allowed (WIKA)</p> <p>Payment Terms</p> <ul style="list-style-type: none"> • Credit Net 30 days delivery DDP <p>Volume & Weight (to be reconfirmed)</p> <p>General Warranty: WIKA warrants its products to be free from defects in material and/or workmanship for a period of eighteen (18) months following shipment or twelve (12) months following start up, whichever occurs first, provided that written claim be made during the period of the warranty. Manufacturer's obligation under this warranty is limited solely to repairing or replacing necessary parts and in no event shall Manufacturer's be liable for damages in excess of the amount paid by the purchaser.</p>		
		NOTAS:		
		<p>CONDICIONES DE PAGO</p> <p><u>COMPONENTE IMPORTADO</u></p> <p><i>En DOLARES AMERICANOS (US\$) o en EUROS equivalentes mediante transferencia bancaria a la siguiente cuenta</i></p> <p>AMERANT BANK (in US\$) 220 ALHAMBRA CIRCLE, CORAL GABLES, FL. 33134 CUENTA NUMERO 8303790106 BENEFICIARIO INTECH INSTRUMENTOS Y EQUIPOS C.A. ABA 067010509 SWIFT MNB MUS33</p> <p><u>COMPONENTE NACIONAL (IVA)</u></p> <p><i>En BOLIVARES (Bs.) mediante transferencia bancaria</i></p> <p>Banco Mercantil Cuenta Corriente a nombre de INTECH Instrumentos y Equipos C.A. – 0105-0011-73-1011-50499-5</p>		

	<p>OTRAS CONDICIONES</p> <p>1. Todos los Equipos suministrados por INTECH Instrumentos y Equipos son Nuevos y cuentan con Certificados de Conformidad del Fabricante en caso de ser requeridos</p> <p>2. El valor del IVA podrá ser pagado y/o retenido en moneda local (Bs.) a la tasa referencial del día en caso de que el mismo no pueda ser pagado en US\$. El valor utilizado para el cálculo del mismo es tomado de acuerdo a lo informado por el Banco Central de Venezuela en su portal web www.bcv.org.ve y deberá ser cancelado a la tasa oficial del día de pago o de la retención correspondiente</p> <p>3. Todos los materiales mantienen las condiciones de garantía Standard de los fabricantes.</p> <p>4. INTECH como representante y/o distribuidor exclusivo de múltiples marcas en el área de Instrumentación Industrial, calentamiento Eléctrico y Equipos de Laboratorio, solo suministrara garantía y servicio a los equipos y materiales adquiridos a través de los canales de venta autorizados de INTECH tanto localmente como internacionalmente</p> <p>5. Las empresas Mixtas no están sujetas a Impuesto a las Grandes Transacciones Financieras (IGTF), Por lo tanto, las facturas donde CHEVRON compra bienes o contrata servicios por cuenta de estas, no están sujetas a la percepción del IGTF. Todo ello con base en el Artículo 9, Numeral 3 de la Ley del IGTF (Gaceta Oficial Nro 6.687 Extraordinario de fecha 25/02/22.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <p>In Tech Instrumentos y Equipos. C.A. RIF: J-30615033-1 NIT: 0096996004</p> </div> <div style="text-align: center;">  </div> </div> <p>Cci: W. Brito – INTECH PLCRZ</p>		
--	--	--	--

Please Transfer to Account of:
Bank: Amerant Bank
Address: 220 Alhambra Circle, Coral Gables,
Florida 33134, USA
ABA: 067010509
Swift: MNBMUS33

Beneficiary: INTECH INSTRUMENTOS Y EQUIPOS
C.A.
Account # 8303790106

Subtotal	US\$	174,880.00
Freight	US\$	Incluido
Insurance	US\$	--
IVA 16%	US\$	27,980.80
IGTF 3%	US\$	---
TOTAL	US\$	202,860.80