



Instrumentos y Equipos C.A

INTECH Instrumentos y Equipos C.A.

Av. Río Caura, Torre Humboldt, Ofic 04-04, Caracas, Venezuela 1080 Tel: 58-212-9784430, 9784433, 977.7654, 977.6346 Fax: 58-212-977.3613 E-mail:sales@intech-ie.com RIF J-30615033-1

Quote # C-2025-0342 Date: 30/09/2025 Customer ID CHEVRON PETROBOSCAN

Table with 1 column: Bill to: CHEVRON GLOBAL TECHNOLOGY SERVICES COMPANY, Av. Ppal La Estancia, Centro Banaven, Torre D, Piso 7, Chuao, Caracas 1060, Venezuela, At: Diana Carolina Rocha - Depto de Procura, Diana.Rocha@chevron.com

Table with 1 column: Ship to: CHEVRON PETROBOSCAN Warehouse, Edo Zulia, Venezuela

Table with 6 columns: Sales Rep., Your #, Our #, Destiny, Terms, Validity. Row 1: L. Zuñiga, VEN-PB-2025-041, C-2025-0342/QUO00021703-1, Venezuela, DDP Maracaibo, 60 days

Main items table with 5 columns: Item, Cant, Description, Unit Price US\$, Total US\$. Item 59: WIKA PRESSURE GAUGES SERIES 23X.30 - Solid-front Safety Case Pressure PN 76237825, 90 units, \$360.00/unit, \$32,400.00 total. Item 60: WIKA PRESSURE GAUGES SERIES 23X.30 - Solid-front Safety Case Pressure PN 76258134, 120 units, \$350.00/unit, \$42,000.00 total.

		<p>Bezel ring: Threaded, Black Fiberglass Reinforced Thermoplastic (Pocan B4225)          Measuring System: Stainless Steel          Case filling: without          Nominal size: 4.5"  <b>Scale range: 0/150 psi</b>          Process Connection: 1/2 NPT          Connector location: lower mount  <b>Window: laminated safety glass</b>          Restrictor: stainless steel, D 0.6          Pointer: adjustable pointer          Special design features: NACE Sour Gas Service          Accuracy Class: +/- .5% (ASME B40.100 2A)          Material pressure element: Measuring System 316L          Case filling fluid: prepared for filling          Ingress Protection: IP 65          Dial description:  <b>WIKA Dial background: Reflective Fluorescent Yellow</b>          Pressure Gauge Standard: US-Standard          color for 1.scale (outside): black          *WIKA®*  <b>CHEVRON Logo (2 colors)</b>          serial number on dial: Serial number *...*          stop pin on dial: at 6 o'clock  <b>QR code with extended serial number on dial</b></p>		
61	50	<p><b>WIKA PRESSURE GAUGES SERIES 23X.30 - Solid-front Safety Case Pressure          PN 76219384</b>          Process Gauge Model: 232.34          Specifications according to data sheet: APM 02.10          Case: Black Fiberglass Reinforced Thermoplastic (Pocan B4225)          Bezel ring: Threaded, Black Fiberglass Reinforced Thermoplastic (Pocan B4225)          Measuring System: Stainless Steel          Case filling: without          Nominal size: 4.5"  <b>Scale range: 0/600 psi</b>          Process Connection: 1/2 NPT          Connector location: lower mount  <b>Window: laminated safety glass</b>          Restrictor: stainless steel, D 0.6          Pointer: adjustable pointer          Special design features: NACE Sour Gas Service          Accuracy Class: +/- .5% (ASME B40.100 2A)          Material pressure element: Measuring System 316L          Case filling fluid: prepared for filling          Ingress Protection: IP 65          Dial description:  <b>WIKA Dial background: Reflective Fluorescent Yellow</b>          Pressure Gauge Standard: US-Standard          color for 1.scale (outside): black          *WIKA®*  <b>CHEVRON Logo (2 colors)</b>          serial number on dial: Serial number *...*          stop pin on dial: at 6 o'clock  <b>QR code with extended serial number on dial</b></p>	\$360.00	\$18,000.00
62	200	<p><b>WIKA PRESSURE GAUGES SERIES 23X.30 - Solid-front Safety Case Pressure          PN 52820047</b>          Process Gauge Model: 232.34          Specifications according to data sheet: APM 02.10</p>	\$380.00	\$76,000.00

		<p>Case: Black Fiberglass Reinforced Thermoplastic (Pocan B4225)          Bezel ring: Threaded, Black Fiberglass Reinforced Thermoplastic (Pocan B4225)          Measuring System: Stainless Steel          Case filling: without          Nominal size: 4.5"  <b>Scale range: 0/1000 psi</b>          Process Connection: 1/2 NPT          Connector location: lower mount  <b>Window: laminated safety glass</b>          Restrictor: stainless steel, D 0.6          Pointer: adjustable pointer          Special design features: NACE Sour Gas Service          Accuracy Class: +/- .5% (ASME B40.100 2A)          Material pressure element: Measuring System 316L          Case filling fluid: prepared for filling          Ingress Protection: IP 65          Dial description:  <b>WIKA Dial background: Reflective Fluorescent Yellow</b>          Pressure Gauge Standard: US-Standard          color for 1.scale (outside): black          *WIKA®*  <b>CHEVRON Logo (2 colors)</b>          serial number on dial: Serial number *...*          stop pin on dial: at 6 o'clock  <b>QR code with extended serial number on dial</b></p>		
63	50	<p><b>WIKA PRESSURE GAUGES SERIES 23X.30 - Solid-front Safety Case Pressure PN 67315032</b>          Process Gauge Model: 232.34          Specifications according to data sheet: APM 02.10          Case: Black Fiberglass Reinforced Thermoplastic (Pocan B4225)          Bezel ring: Threaded, Black Fiberglass Reinforced Thermoplastic (Pocan B4225)          Measuring System: Stainless Steel          Case filling: without          Nominal size: 4.5"  <b>Scale range: 0/3000 psi</b>          Process Connection: 1/2 NPT          Connector location: lower mount  <b>Window: laminated safety glass</b>          Restrictor: stainless steel, D 0.6          Pointer: adjustable pointer          Special design features: NACE Sour Gas Service          Accuracy Class: +/- .5% (ASME B40.100 2A)          Material pressure element: Measuring System 316L          Case filling fluid: prepared for filling          Ingress Protection: IP 65          Dial description:  <b>WIKA Dial background: Reflective Fluorescent Yellow</b>          Pressure Gauge Standard: US-Standard          color for 1.scale (outside): black          *WIKA®*  <b>CHEVRON Logo (2 colors)</b>          serial number on dial: Serial number *...*          stop pin on dial: at 6 o'clock  <b>QR code with extended serial number on dial</b></p>	\$380.00	\$19,000.00

	<p><b>Delivery Time</b> <b>14-16 Weeks ARO</b></p> <p><b>Partial Shipments allowed (WIKA )</b></p> <p><b>Payment Terms</b> • <b>100% Net 30 days delivery time DDP</b></p> <p><b>Volume &amp; Weight (to be reconfirmed)</b> <b>To be advised – Aprox 3,500 Lbs</b></p> <p><b>General Warranty:</b> WIKA warrants its products to be free from defects in material and/or workmanship for a period of eighteen (18) months following shipment or twelve (12) months following start up, whichever occurs first, provided that written claim be made during the period of the warranty. Manufacturer's obligation under this warranty is limited solely to repairing or replacing necessary parts and in no event shall Manufacturer's be liable for damages in excess of the amount paid by the purchaser.</p> <p><b>Project Cancellation charges:</b></p> <table border="0"> <tr> <td>15%</td> <td>Up to submittal of Engineering &amp; Design Drawings and Documents</td> </tr> <tr> <td>25%</td> <td>After submittal of Engineering &amp; Design Drawings and Documents</td> </tr> <tr> <td>50%</td> <td>After material order placement and before production commences</td> </tr> <tr> <td>75%</td> <td>Within two weeks of production release</td> </tr> <tr> <td>100%</td> <td>Two weeks after production commences</td> </tr> </table>	15%	Up to submittal of Engineering & Design Drawings and Documents	25%	After submittal of Engineering & Design Drawings and Documents	50%	After material order placement and before production commences	75%	Within two weeks of production release	100%	Two weeks after production commences		
15%	Up to submittal of Engineering & Design Drawings and Documents												
25%	After submittal of Engineering & Design Drawings and Documents												
50%	After material order placement and before production commences												
75%	Within two weeks of production release												
100%	Two weeks after production commences												
<b>NOTAS:</b>													
	<p><b>CONDICIONES DE PAGO</b></p> <p><b><u>COMPONENTE IMPORTADO</u></b></p> <p><i>En DOLARES AMERICANOS (US\$) o en EUROS equivalentes mediante transferencia bancaria a la siguiente cuenta</i></p> <p>AMERANT BANK (in US\$) 220 ALHAMBRA CIRCLE, CORAL GABLES, FL. 33134 CUENTA NUMERO <b>8303790106</b> BENEFICIARIO <b>INTECH INSTRUMENTOS Y EQUIPOS C.A.</b> ABA 067010509 SWIFT MNB MUS33</p> <p><b><u>COMPONENTE NACIONAL (IVA)</u></b></p> <p><i>En BOLIVARES (Bs.) mediante transferencia bancaria</i></p> <p>Banco Mercantil Cuenta Corriente a nombre de INTECH Instrumentos y Equipos C.A. – <b>0105-0011-73-1011-50499-5</b></p>												

	<p><b>OTRAS CONDICIONES</b></p> <p>1. Todos los Equipos suministrados por INTECH Instrumentos y Equipos son Nuevos y cuentan con Certificados de Conformidad del Fabricante en caso de ser requeridos</p> <p>2. El valor del IVA podrá ser pagado y/o retenido en moneda local (Bs.) a la tasa referencial del día en caso de que el mismo no pueda ser pagado en US\$. El valor utilizado para el cálculo del mismo es tomado de acuerdo a lo informado por el Banco Central de Venezuela en su portal web <a href="http://www.bcv.org.ve">www.bcv.org.ve</a> y deberá ser cancelado a la tasa oficial del día de pago o de la retención correspondiente</p> <p>3. Todos los materiales mantienen las condiciones de garantía Standard de los fabricantes.</p> <p>4. INTECH como representante y/o distribuidor exclusivo de múltiples marcas en el área de Instrumentación Industrial, calentamiento Eléctrico y Equipos de Laboratorio, solo suministrara garantía y servicio a los equipos y materiales adquiridos a través de los canales de venta autorizados de INTECH tanto localmente como internacionalmente</p> <p>5. Las empresas Mixtas no están sujetas a Impuesto a las Grandes Transacciones Financieras (IGTF), Por lo tanto, las facturas donde CHEVRON compra bienes o contrata servicios por cuenta de estas, no están sujetas a la percepción del IGTF. Todo ello con base en el Artículo 9, Numeral 3 de la Ley del IGTF (Gaceta Oficial Nro 6.687 Extraordinario de fecha 25/02/22.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <p><b>In Tech</b> Instrumentos y Equipos, C.A. RIF: J-30615033-1 NIT: 0096996004</p> </div> <div style="text-align: center;">  </div> </div> <p>Cci: G. Novoa - INTECH MCBO</p>		
--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

Please Transfer to Account of:  
Bank: Amerant Bank  
Address: 220 Alhambra Circle, Coral Gables,  
Florida 33134, USA  
ABA: 067010509  
Swift: MNB MUS33

Beneficiary: INTECH INSTRUMENTOS Y EQUIPOS  
C.A.  
Account # 8303790106

<b>Subtotal</b>	<b>US\$</b>	<b>187,400.00</b>
<b>Freight</b>	<b>US\$</b>	<b>Incluido</b>
<b>Insurance</b>	<b>US\$</b>	<b>--</b>
<b>IVA 16%</b>	<b>US\$</b>	<b>29,984.00</b>
<b>IGTF 3%</b>	<b>US\$</b>	<b>---</b>
<b>TOTAL</b>	<b>US\$</b>	<b>217,384.00</b>