

INTECH Instrumentos y Equipos C.A.

Av. Río Caura, Torre Humboldt, Ofic 04-04,
Caracas, Venezuela 1080
Tel: 58-212-9784430, 9784433, 977.7654, 977.6346
Fax: 58-212-977.3613
E-mail:sales@intech-ie.com
RIF J-30615033-1

Quote # **C-2024-0379**
Date: **19/12/2024**
Customer ID **CHEVRON**

Bill to:
CHEVRON GLOBAL TECHNOLOGY SERVICES COMPANY Av. Ppal La Estancia, Centro Banaven, Torre D, Piso 7, Chuao, Caracas 1060, Venezuela Att: Rafael Azuaje - Depto de Procura Rafael.Azuaje@chevron.com

Ship to:
CHEVRON PETROBOSCAN Warehouse Edo Anzoategui, Venezuela

Sales Rep.	Your #	Our #	Destiny	Terms	Validity
S. Méndez L. Zuñiga	VEN-RFQ- PP-2025-109	C-2024-0379/PL	Venezuela	DDP Jose complex	30 days

Item	Cant	Description	Unit Price US\$	Total US\$
1	4	Condenser, 400mm, Liebig, S/T 24/40, KOEHLER PN KD-4006-C	\$3.000,00	\$12.000,00
5	2	Homogenizer Drive Unit, KAM CONTROLS PN 09014	\$8.078,00	\$16.156,00
6	1	Water Bath model PURA 22 capacity 25.5L with cover, Julabo PN 9550522x1-9970583x1		
7	30	Gas Detect Hydrogen Sulfide 0.2%/A range 0.2-7 Vol%, Draeger PN CH28101	\$449,00	\$13.470,00
8	60	Gas Detect Hydrogen Sulfide 0.5/A range 0.5-150 ppm, Draeger PN 6728041	\$481,00	\$28.860,00
9	2	Portable Density meter DMA 35 Ex Petrol, Anton Para PN 183057 Instrumento de laboratorio portátil alimentado por batería para la determinación de la concentración/densidad de alcohol en mezclas binarias según la tecnología de tubo en U oscilante de Anton Paar. Con Compensación de temperatura integrada. Incluye: • 1# maleta de transporte • 1# llave Allen • 1# manual de instrucciones • 1# set correa de transporte personal seguro (177301) • 1# protector de panel de operacion (177115)	\$6.764,00	\$13.528,00
10	20	Glass Bottle capacity 500 mL Pyrex, Corning PN EW-34514-24	\$101,00	\$2.020,00
11	2	Centrifuge model 6-16S, Sigma-Zentrifugen PN 10390x1-11165x1-13114x2-16104- Universal benchtop centrifuge Speed range up to 13,500 rpm Maximum capacity: 4 x 1,000 ml User-friendly Spincontrol S controller Extra large TFT display	\$29.266,00	\$58.532,00

		<p>60 programs Compact, space-saving unit Low noise level Automatic rotor identification Zero-maintenance induction motor Motorised lid lock Automatic imbalance monitoring Rotor life monitoring for high safety Easily cleaned stainless steel chamber Window in lid for external speed monitoring Manufactured according to the latest national and international standards (e.g. EN 61010-2-020) Bucket for 100 ml 6" petroleum tubes according to ASTM D 96, with rubber cushion 16104 Max. capacity: 4 x 100 ml Max. speed (6-16S / 6-16KS): 3,000 rpm Max. RCF (6-16S / 6-16KS): 1,922 x g Angle: 90° -Tubes: Include 8 Glass tube, 100 ml, 6" for petroleum, according to ASTM D 96, Ø 44 x 165 mm, max. 700 x g (15132) Rated capacity (filling volume) [ml] 100 Diameter x length [mm] 44 x 165 Tube material Glass</p>		
12	3	<p>Centrifuge model 6-16KHS with refrigeration and heating, Sigma-Zentrifugen PN 10400x1-11165x1-13113x2-17107x2-16103-1602</p> <p>Universal benchtop centrifuge Speed range up to 13,500 rpm Maximum capacity: 4 x 1,000 ml User-friendly Spincontrol S controller Extra large TFT display 60 programs Compact, space-saving unit Low noise level Automatic rotor identification Zero-maintenance induction motor Motorised lid lock Automatic imbalance monitoring Rotor life monitoring for high safety Easily cleaned stainless steel chamber Window in lid for external speed monitoring Manufactured according to the latest national and international standards (e.g. EN 61010-2-020) Heatable refrigerated centrifuge Standstill cooling or heating Temperature setting range: -20 °C to +60 ° Bucket for 100 ml 8" petroleum tubes according to ASTM D 91/96, with adapter 16103 and rubber cushion 16021 Max. capacity: 4 x 100 ml Max. speed (6-16S / 6-16KS): 3,000 rpm Max. RCF (6-16S / 6-16KS): 2,143 x g Hermetically closable with cap 17107 Angle: 90° -Tube: Include 8 Glass tube, 100 ml, 8" for petroleum, according to ASTM D 91/96, Ø 37 x 200 mm, max. 700 x g (15130) Rated capacity (filling volume) [ml] 100 Diameter x length [mm] 37 x 200</p>	\$43.529,00	\$130.587,00

		Tube material Glass		
13	4	Narrow-Mouth Plastic Wash Bottles FEP capacity 1000 mL, Cole-Parmer PN EW-06052-80	\$915,00	\$3.660,00
14	4	Narrow-Mouth Plastic Wash Bottles FEP capacity 500 mL, Cole-Parmer PN EW-06052-60	\$575,00	\$2.300,00
15	2	Narrow-Mouth Plastic Wash Bottles FEP capacity 250 mL, Cole-Parmer PN EW-06052-40	\$434,00	\$868,00
16	52	Pre-Cleaned EPA Narrow-Mouth Jugs Amber Glass, Cole-Parmer PN EW-99540-35	\$109,00	\$5.668,00
17	10	Graduated Cylinder capacity 500mL Pyrex, Corning PN 89090-568	\$419,00	\$4.190,00
18	2	KAM LKF Karl Fischer Laboratory Moisture Analyzer, KAM CONTROLS PN 09150	\$31.133,00	\$62.266,00
23	1	Portavo 904X pH, SE554X/1-NMSN Memosens pH sensor, CA/MS-001XFB-L cable, ZU0934 field case, USB connector cable, CS-PSET479 CaliMat buffer solution set, KNICK PN 904XSET-PH	\$7.534,00	\$7.534,00
24	8	Thermometer astm s12f-03 with safetyblue liquid (astm 12f, -5/215f), KESSLER THERMOMETER CORP PN 1040-SB	\$186,00	\$1.488,00
26	5	Filter Paper for Very Fine Retention Grade No. 235 ,Advantec PN EW-81050-30	\$178,00	\$890,00
27	2	IP-400 Series Low-Temperature Immersion Probe Chillers range -80 to 120°C, Cole Parmer PN EW-20873-77	\$20.567,00	\$41.134,00
28	4	Adjustable Volume Micropipettes 10 to 100 uL, Ward's Science PN 470231-598	\$647,00	\$2.588,00
29	8	Hydrometer ASTM 2H (9/21 API), Kessler Thermometer Corp PN 7002	\$234,00	\$1.872,00
30	20	PYREX® Oil Conical Centrifuge Tube 100 ml with White Graduations, Corning PN 89091-074	\$323,00	\$6.460,00
31	20	KIMAX® Centrifuge Tubes 50 ml, Conical-Bottom, Graduated, Kimble Chase PN 89002-196	\$194,00	\$3.880,00
32	40	Glass tube, 100 ml, 8" for petroleum, according to ASTM D 91/96, Ø 37 x 200 mm, max. 700 x g, Sigma-Zentrifugen PN 15130		
33	40	Glass tube, 100 ml, 6" for petroleum, according to ASTM D 96, Ø 44 x 165 mm, max. 700 x g, Sigma-Zentrifugen PN 15132		
34	8	Digital Barometer range 500 to 1030 mbar / 0 to 55 °C, VWR PN 10510-922	\$1.029,00	\$8.232,00
45	2	Density standard ultra pure water, Anton Paar PN 96044	\$481,00	\$962,00
46	3	Silicone viscosity standard AP RT5k 600 ml - 5.6 / 5.0 Pa.s at 20 / 25 °C, Anton Paar PN 191118	\$548,00	\$1.644,00
		<p>Delivery Time ARAD/AROC, Items 10,13,14,15,16,26,27: 4-6 weeks Items 17,28,30,31,32,33,34: 4-8 weeks Items 6,7,8,24,35,36: 8-10 weeks Items 1,5,9,18,29: 10-12 weeks Items 11,12,23: 14-16 weeks</p> <p>Payment Terms 100% Payment 30 days DUE NET</p> <p>Packing Material will be Securely packed in wooden crates suitable for air freight and export. Volume & Weight (to be reconfirmed) To be advised – Aprox 900 Lbs</p>		

	<p>General Warranty: Our brands warrants its products to be free from defects in material and/or workmanship for a period of 18 months after delivery or 12 months from installation, whichever occurs first, provided that written claim be made during the period of the warranty. Manufacturer's obligation under this warranty is limited solely to repairing or replacing necessary parts and in no event shall manufacturer's be liable for damages in excess of the amount paid by the purchaser.</p> <p>Project Cancellation charges:</p> <p>15% Up to submittal of Engineering & Design Drawings and Documents (when applicable)</p> <p>25% After submittal of Engineering & Design Drawings and Documents (when applicable)</p> <p>50% After material order placement and before production commences</p> <p>75% Within two weeks of production release</p> <p>100% Two weeks after production commences</p>		
	<p>NOTAS:</p>		
	<p>CONDICIONES DE PAGO</p> <p><u>COMPONENTE IMPORTADO</u></p> <p><i>En DOLARES AMERICANOS (US\$) o en EUROS equivalentes mediante transferencia bancaria a la siguiente cuenta</i></p> <p>AMERANT BANK (in US\$) 220 ALHAMBRA CIRCLE, CORAL GABLES, FL. 33134 CUENTA NUMERO 8303790106 BENEFICIARIO INTECH INSTRUMENTOS Y EQUIPOS C.A. ABA 067010509 SWIFT MNB MUS33</p> <p><u>COMPONENTE NACIONAL (IVA)</u></p> <p><i>En BOLIVARES (Bs.) mediante transferencia bancaria</i></p> <p>Banco Mercantil Cuenta Corriente a nombre de INTECH Instrumentos y Equipos C.A. - 0105-0011-73-1011-50499-5</p>		
	<p>OTRAS CONDICIONES</p> <ol style="list-style-type: none"> 1. Todos los Equipos suministrados por INTECH Instrumentos y Equipos son Nuevos y cuentan con Certificados de Conformidad del Fabricante en caso de ser requeridos 2. El valor del IVA podrá ser pagado y/o retenido en moneda local (Bs.) a la tasa referencial del día en caso de que el mismo no pueda ser pagado en US\$. El valor utilizado para el cálculo del mismo es tomado de acuerdo a lo informado por el Banco Central de Venezuela en su portal web www.bcv.org.ve y debera ser cancelado a la tasa oficial del día de pago o de la retención correspondiente 3. Todos los materiales mantienen las condiciones de garantía Standard de los fabricantes. 4. INTECH como representante y/o distribuidor exclusivo de múltiples marcas en el área de Instrumentación Industrial, calentamiento Eléctrico y Equipos de Laboratorio, solo suministrara garantía y servicio a los equipos y materiales adquiridos a través de los canales 		

de venta autorizados de INTECH tanto localmente como internacionalmente

5. Aporte SOCIAL: Esta Incluido en los precios y forma parte de la Oferta

6. Las empresas Mixtas no están sujetas a Impuesto a las Grandes Transacciones Financieras (IGTF), Por lo tanto, las facturas donde CHEVRON compra bienes o contrata servicios por cuenta de estas, no están sujetas a la percepción del IGTF. Todo ello con base en el Artículo 9, Numeral 3 de la Ley del IGTF (Gaceta Oficial Nro 6.687 Extraordinario de fecha 25/02/22.

7. En caso de requerirse algún Tipo de Fianza de Anticipo, los Gastos de dicha Fianza serán reembolsables (en la moneda de su contratación) y por cuenta del Cliente CHEVRON, una vez recibidos los materiales en su almacén.

In Tech
Instrumentos y Equipos, C.A.
RIF: J-30615033-1
NIT: 0096996004



Please Transfer to Account of:
Bank: Amerant Bank
Address: 220 Alhambra Circle, Coral Gables,
Florida 33134, USA
ABA: 067010509
Swift: MNB MUS33

Beneficiary: INTECH INSTRUMENTOS Y EQUIPOS
C.A.
Account # 8303790106

Subtotal	US\$	470,215.00
Freight	US\$	Incluido
Insurance	US\$	--
IVA 16%	US\$	75,234.40
IGTF 3%	US\$	---
TOTAL	US\$	545,449.40