

**Quote #** C-2024-0240Rev2

**Date:** 05/11/2024

**Customer ID** BANKS - GUY

<b>Bill to:</b>
<b>Banks D.I.H Ltd</b> Thirst Park Ruimveldt East Bank Demerara Georgetown, Guyana P: +592 615-3538 Att: Morissa Howard E-mail: mhoward@banksdih.com

<b>Ship to:</b>
CIF Georgetown Airport. Custom Agent to be advised.

<b>Sales Rep.</b>	<b>Your #</b>	<b>Reference #</b>	<b>Destiny</b>	<b>Terms</b>	<b>Validity</b>
N. Carricatti	Email	C-2023-0111/PL	Guyana	Prepaid	10 days

<b>Item</b>	<b>Cant</b>	<b>Description</b>	<b>Unit Price US\$</b>	<b>Total US\$</b>
<b>CARBO 510 SENSOR REPLACEMENT</b>				
1	1	<p><b>CARBO 6100 SENSOR, ANTON PAAR PN 233403</b></p> <p>Sensor for measuring dissolved CO2 in liquids. Measuring principle: IR absorption based on ATR (Attenuated Total Reflection)</p> <p>Scope of delivery 1 Pcs. Carbo 6100 Sensor 1 Pcs. Instruction Manual</p> <p>Technical Specification -Measuring range: 0 to 12 g/L (0 to 6 vol) -Accuracy: ±0.05 g/L (0.025 vol) -Repeatability: ±0.01 g/L (0.005 vol) -Process temperature: -3 to 40 °C, non-freezing -CIP/SIP temperature: max. 95 °C (max. 4h) -Ambient temperature: -20 to 50 °C -Process pressure: max. 10 bar rel. (145 psi rel.) -Wetted parts: Stainless steel 1.4404, sapphire, PEEK, EPDM -Degree of protection: IP 65 and IP 67 -Certifications: EHEDG Type EL Class I -Process connection: Tuchenhagen Varivent® N</p>	20,809.00	20,809.00
2	1	<p><b>CARBO OPTICAL VARINLINE DEFLEKTOR DN40 PN 234630</b></p> <p>Deflector for installation into a Varivent inline fitting opposite the Carbo Optical. Cleaning the sensing prisma</p>	850.00	850.00

		<p>is done automatically by defelcting the flow towards the sensor.</p> <p>Scope of delivery 1 pcs. VARINLINE Deflector DN40 1 pcs. O-RING 60x3 EPDM 70 ± 5 Shore A FDA</p> <p>Technical specification - Connection Varivent Type N - Applicable for Varinline Fittings DN40 - Material: Stainless steel 1.4404 - Process pressure: 100 mbara to 16 bara (10 bar &gt; 120 °C) - Process temperature: -20°C to 145°C - Pressure loss: &lt;30 mbar (for 1,5 m/s and 1 mPa.s)</p>		
		<b>DSRn 427 SENSOR REPLACEMENT</b>		
3	1	<p><b>DENSITY AND SOUND VELOCITY SENSOR L-Com 5500 Version HAS, ANTON PAAR PN 181263</b></p> <p>Combined system for a highly accurate process measurement of density and sound velocity of three-component-mixtures. The compact design enables inline or bypass installation with minimal integration effort.</p> <p>Scope of delivery 1 Pcs. Process-density-sound velocity-sensor L-Com 5500 HAS 1 Pcs. Instruction Manual 1 Pcs. Adjustment Report</p> <p>Technical specifications - Process density: max. 2000 kg/m<sup>3</sup> - Process temperature: -25 to 125 °C (145 °C for max. 30 min) - Process pressure absolute: max. 50 bar - Flow rate: 100 to 500 L/h - Accuracy density in the adjusted range: 0.05 kg/m<sup>3</sup> - Repeatability density: 0.01 kg/m<sup>3</sup> - Accuracy temperature in the adjusted range: 0.1 °C - Measurement uncertainty sound velocity: 0.1 m/s - Wetted part: Hastelloy C-276 - Inner diameter of tube: 6.3 mm - Ambient temperature: -25 °C to +65 °C without Pico 3000 -25 °C to +55 °C* with Pico 3000 -20 °C to +55 °C* with Pico 3000 and HMI * Pico 3000 PROFINET IO, EtherNet/IP, Modbus TCP: 50 °C - Degree of protection: IP 66 / 67 / NEMA 4X</p>	15,920.00	15,920.00
4	1	<p><b>L-Dens 7500/L-Com 5500 I-adapter set VARIVENT® N min DN 40, SST, EPDM, ANTON PAAR PN 244186</b></p> <p>Varivent N adapter set for easy inline installation of an L-Dens 7500 or L-Com</p>	637.00	637.00

		<p>5500 process density sensor.</p> <p>Scope of delivery 1 Pcs. Adapter Varivent N for DN 40/50 stainless steel 1 Pcs. O-Ring 60x3 EPDM 2 Pcs. Flat gasket with collar 16.3x6.3 mm EPDM</p> <p>Technical specifications - Flange type: Varivent N - Wetted parts: 1.4404, EPDM - Process temperature: -40 °C to 140 °C - Process pressure absolute: min. 1 bar; max. 16 bar - Tube diameter: min. DN 40</p>		
5	10	<b>CABLE 2x2x0.22 D7.1 mm PER m FOR CAN BUS PN 94268</b>	13.00	130.00
6	10	<b>CABLE 2x1.5 mm<sup>2</sup> D7.1 mm SHIELDED PN 99389</b>	7.00	70.00
7	1	<p><b>ESTIMATED TRAVEL FEE AND EXPENSES</b></p> <ul style="list-style-type: none"> <li>- Air Ticket @ US\$ 1,480.00</li> <li>- Lodging &amp; Transport @ US\$ 160/day for <b><i>5 nights</i></b></li> <li>- Allowances @ US\$ 100/day for <b><i>3 working days &amp; 2 travel days</i></b> (meals, transport, etc.)</li> <li>- Travel time @ US\$ 10.00/h for 24 hours = 240.00 US\$</li> <li>- Other expenses (PCR tests, luggage charges, etc.) @ US\$ 300.00</li> </ul> <p><b>See Note #1</b></p>	3,320.00	3,320.00
		<p><b>Delivery time</b> 4-7 weeks after receive your order and payment.</p> <p>The delivery time of the items offered is subject to changes generated by events outside the company's control, such as:</p> <ol style="list-style-type: none"> <li>1. Climatic phenomena that do not allow the transport of raw material to the factory, local transport abroad of the manufactured material and/or international transport of the product.</li> <li>2. Normal functioning of Venezuelan and/or foreign customs.</li> <li>3. Disruption of public order in the country of origin, country of transit and/or final country.</li> <li>4. Criminal and/or terrorist acts.</li> <li>5. Any other event considered force majeure.</li> </ol> <p><b>INCOTERMS</b> CIF - Georgetown Airport</p> <p><b>Payment terms</b> *100% Pre-payment with PO</p> <p><b>Volume &amp; Weight</b> Volume &amp; Weight to be advised</p>		

		<p><b>Travel Expenses</b> Travel expenses for installation <b>ARE INCLUDED</b> in this quotation</p> <p><b>Notes</b> <b>Note #1:</b></p> <ul style="list-style-type: none"> <li>- The item is an estimated of travel expenses</li> <li>- In case the CUSTOMER would like to take care of Lodging (hotel must be 3 stars+ with Wi-Fi and breakfast included) and Transportation we will only charge the Air Ticket Value and Daily Allowances.</li> <li>- Any additional travel expenses will be reimbursed by CUSTOMER</li> <li>- The working days are of 8 hours</li> <li>- The maximum labor hour per day are of 12 hours</li> <li>- Extra hours on working days will be billed @ US\$ 281.25/hour</li> <li>- Hours on weekends &amp; holidays will be billed @ US\$ 350.00/hour</li> <li>- Stand by days will be billed @ US\$ 900.00 ea</li> <li>- The travel time costs are included on the service</li> <li>- If additional service days are required, it will be billed to the CUSTOMER at mentioned fixed rates of labor hours and travel expenses</li> </ul>		
--	--	---	--	--

Please Transfer to Account of:  
Bank: Amerant Bank  
Address: 220 Alhambra Circle, Coral Gables,  
Florida 33134, USA  
ABA: 067010509  
Swift: MNBMUS33

Beneficiary: INTECH INSTRUMENTOS Y EQUIPOS  
C.A.  
Account # 8303790106

<b>Subtotal</b>	<b>US\$</b>	<b>42,283.00</b>
<b>Freight</b>	<b>US\$</b>	<b>Included</b>
<b>Insurance</b>	<b>US\$</b>	<b>Included</b>
<b>Docs</b>	<b>US\$</b>	<b>Included</b>
<b>TOTAL</b>	<b>US\$</b>	<b>42,283.00</b>